Safety Data Sheet

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

HDAX 9300 SAE 40

Product Number(s): 804325

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses: Stationary Gas Engine Oil

Uses advised against: Consult supplier when used other than those specified.

1.3 Details of the supplier of the safety data sheet

Uno-X Smøreolie A/S Buddingevej 195 DK-2860 Søborg

Kundecenter: +45 70 11 56 78

Denmark

Web: lube.unox.dk email : sales@unox.dk

1.4 Emergency telephone number

Transportation Emergency Response

CHEMTREC: +1 703 527 3887

Health Emergency

Danish Environmental Protection Agency: +45 72 54 40 00Chevron Emergency Information Center:

International calls accepted 24 hours: +1 510 231 0623 Poison Control Centre Denmark: 0045/ 82 12 12 12

Product Information

Technical Information: 0045/70 11 56 78

SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLP CLASSIFICATION:

Not classified as dangerous according to EU regulatory guidelines.

2.2 Label elements

Under the criteria of Regulation (EC) No 1272/2008 (CLP):

Not classified

- contains: Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium

salts. May produce an allergic reaction.

Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivatives, calcium salts (2:1). May

produce an allergic reaction.

2.3 Other hazards

This material does not contain a substance considered to have endocrine disrupting properties at levels

 Revision Number: 3
 1 of 12
 HDAX 9300 SAE 40

 Revision Date: September 06, 2024
 SDS: 49659

of 0.1% weight or higher. This material does not contain a substance considered to be PBT or vPvB at levels of 0.1% weight or higher.

SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

3.2 Mixtures

This material is a mixture.

| COMPONENTS | CAS NUMBER | EC NUMBER | REGISTRATION NUMBER | CLP CLASSIFICATION | AMOUNT |
|--|---------------|--------------|------------------------|--------------------------------|----------------------|
| Highly refined mineral oil (C15 - C50) | Mixture | * | *** | None | 70 - 99 %weight |
| Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propiona te | | 406-040-9 | 01-0000015551-76 | Aquatic Chronic 4/H413 | 1 - 5 %weight |
| Benzenesulfonic acid, methyl-, mono-C20-24- branched alkyl derivs., calcium salts | 722503-68-6 | 682-816-2 | ** | Skin Sens. 1B/H317 | 0.1 - < 1 %weight |
| Benzoic acid, 2- hydroxy-, mono-C>13- alkyl derivatives, calcium salts (2:1) | 83846-43-9 | 281-018-8 | ** | Skin Sens. 1/H317 [C>=5.88] | 0.1 - < 1 %weight |

The full text of all CLP H-statements is shown in Section 16.

In accordance with the Regulation (EC)No 1272/2008, Nota L, reference IP 346/92: "DMSO Extraction Method", we have determined that the base oils used in this preparation contain <3% DMSO extract and are not carcinogenic.

*Contains one or more of the following EINECS numbers: 265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-166-0, 265-169-7, 265-176-5, 276-736-3, 276-737-9, 276-738-4, 278-012-2.

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Eye: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.

Skin: No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

Ingestion: No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice.

Inhalation: No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.

 Revision Number: 3
 2 of 12
 HDAX 9300 SAE 40

 Revision Date: September 06, 2024
 SDS: 49659

^{**}Not available or substance is not currently required for registration under REACH.

^{***} Contains one or more of the following REACH registration numbers: 01-2119488706-23, 01-

^{2119487067-30, 01-2119487081-40, 01-2119483621-38, 01-2119480374-36, 01-2119488707-21, 01-}

^{2119467170-45, 01-2119480375-34, 01-2119484627-25, 01-2119480132-48, 01-2119487077-29, 01-}

^{2119489287-22, 01-2119480472-38, 01-2119471299-27, 01-2119485040-48, 01-2119555262-43, 01-}

^{2119495601-36, 01-2119474889-13, 01-2119474878-16.}

4.2 Most important symptoms and effects, both acute and delayed IMMEDIATE SYMPTOMS AND HEALTH EFFECTS

Eye: Not expected to cause prolonged or significant eye irritation.

Skin: Contact with the skin is not expected to be harmful.

Ingestion: Not expected to be harmful if swallowed.

Inhalation: Not expected to be harmful if inhaled. Contains a petroleum-based mineral oil. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.

DELAYED OR OTHER SYMPTOMS AND HEALTH EFFECTS: Not classified.

4.3 Indication of any immediate medical attention and special treatment needed Not applicable.

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

5.2 Special hazards arising from the substance or mixture

Combustion Products: Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion. Combustion may form oxides of: Calcium, Nitrogen, Sulfur .

5.3 Advice for firefighters

This material will burn although it is not easily ignited. See Section 7 for proper handling and storage. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Observe all relevant local and international regulations. Eliminate all sources of ignition in vicinity of spilled material. Keep out unnecessary and unprotected personnel. Persons entering the contaminated area to correct the problem or to determine whether it is safe to resume normal activities must comply with all instructions in the Exposure Controls/PersonalProtection section. Refer to Sections 5 and 8 for more information.

6.2 Environmental precautions

Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater.

6.3 Methods and material for containment and cleaning up

Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil and dispose of in a manner consistent with applicable requirements. Place other contaminated materials in disposable containers and dispose of in a manner consistent with applicable requirements. Report spills to local authorities as appropriate or required.

6.4 Reference to other sections

See sections 8 and 13.

SECTION 7 HANDLING AND STORAGE

 Revision Number: 3
 3 of 12
 HDAX 9300 SAE 40

 Revision Date: September 06, 2024
 SDS: 49659

7.1 Precautions for safe handling

General Handling Information: Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

Precautionary Measures: Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Wash thoroughly after handling.

Static Hazard: Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures.

Container Warnings: Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

7.2 Conditions for safe storage, including any incompatibilities Not Applicable

7.3 Specific end use(s): Stationary Gas Engine Oil

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

GENERAL CONSIDERATIONS:

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the workplace when designing engineering controls and selecting personal protective equipment (PPE). If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, refer to PPE information below.

Factors that affect PPE include, but are not limited to: properties of the chemical, other chemicals which may contact the same PPE, physical requirements (fit & sizing, cut/puncture protection, dexterity, thermal protection, etc.), and potential allergic reactions to the PPE material. It is the responsibility of the user to read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances. Refer to appropriate CEN standards.

8.1 Control parameters

Occupational Exposure Limits:

| Component | Country/ Agency | Form | TWA | STEL | Ceiling | Notation |
|--|--------------------|------|---------|------|---------|----------|
| Highly refined mineral oil (C15 - C50) | Denmark | | 1 mg/m3 | | | |

Consult local authorities for appropriate values.

8.2 Exposure controls ENGINEERING CONTROLS:

Use in a well-ventilated area.

PERSONAL PROTECTIVE EQUIPMENT

Eye/Face Protection: Wear protective equipment to prevent eye contact. Selection of protective equipment may include safety glasses, chemical goggles, face shields, or a combination depending on the work operations conducted.

Skin Protection: Wear chemical personal protective equipment (PPE) to prevent skin contact. Selection of chemical protective clothing should be performed by an Occupational Hygienist or Safety Professional

 Revision Number: 3
 4 of 12
 HDAX 9300 SAE 40

 Revision Date: September 06, 2024
 SDS: 49659

and be based upon applicable standards (ASTM F739 or EN 374). Using chemical PPE depends upon operations conducted and may include chemical gloves, boots, chemical apron, chemical suit, and complete facial protection. Refer to PPE manufacturers to obtain breakthrough time information to determine how long PPE can be used before it needs to be replaced. Unless specific glove manufacturer data indicates otherwise, the below table is based upon available industry data to assist in the glove selection process and is intended to be used as reference only.

| Chemical Glove Material | Thickness (mm) | Typical Breakthrough Time (minutes) |
|-------------------------|-------------------|-------------------------------------|
| Butyl | 0.7 | 120 |
| Nitrile | 0.8 | 240 |
| Viton Butyl | 0.3 | 240 |

Respiratory Protection: A site-specific risk assessment should be conducted by an Occupational Hygienist or a Safety Professional to determine the type and use of respiratory protective equipment. When a site-specific risk assessment determines that respiratory protection is required, use an approved respirator such as:

Air purifying respirator -

If airborne concentration limits exceed the applicable occupational exposure limit, but are below the maximum use concentration.

Vapors only: organic vapor cartridge (filter type A3 per EN 529:2005).

Vapors and particulates (including generated mists): both an organic vapor cartridge & particulate filter (AP3 filter per EN 529:2005).

Refer to respirator manufacturers to obtain service life of cartridge / filter.

Positive pressure air-supplying respirator -

If airborne concentration limits exceed the maximum use concentration offered from an air purifying respirator.

Refer to EN 529:2005, USA OSHA 1910.134, and/or other applicable local/regional/national/international standards for regulatory requirements.

ENVIRONMENTAL EXPOSURE CONTROLS:

See relevant Community environmental protection legislation or the Annex, as applicable.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Attention: the data below are typical values and do not constitute a specification.

9.1 Information on basic physical and chemical properties

Appearance

Color: Dark brown
Physical State: Liquid
Odor: Petroleum odor

Odor Threshold: No data available

pH: Not Applicable

Melting Point: Not Applicable **Freezing Point:** Not Applicable

Initial Boiling Point: No data available

Flashpoint: (Cleveland Open Cup) 230 °C (446 °F) (Minimum)

Evaporation Rate: No data available **Flammability (solid, gas):** Not Applicable

Flammability (Explosive) Limits (% by volume in air):

Lower: Not Applicable Upper: Not Applicable

Revision Number: 3 5 of 12 **HDAX 9300 SAE 40 Revision Date:** September 06, 2024 **SDS:** 49659

Vapor Pressure: No data available Relative Vapor Density: No data available Density: 0.880 kg/l - @ 15°C (59°F) (Typical)

Solubility: Soluble in hydrocarbons; insoluble in water

Partition coefficient n-octanol/water (logarithmic value): No data available

Auto-ignition temperature: No data available **Decomposition temperature:** No data available

Kinematic Viscosity: 119 mm2/s @ 40°C (104°F) (ASTM D445) (Typical)

Explosive Properties: No Data Available **Oxidising properties:** No Data Available

9.2 Other Information: No Data Available

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity: May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

10.2 Chemical Stability: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions: Hazardous polymerization will not occur.

10.4 Conditions to Avoid: Not applicable

10.5 Incompatible materials to avoid: Not applicable

10.6 Hazardous decomposition products: None known (None expected)

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Product Information:

Serious Eye Damage/Irritation: The material is not considered an eye irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Skin Corrosion/Irritation: The material is not considered a skin irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Skin Sensitization: The material is not considered a skin sensitizer. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Dermal Toxicity: The material is not considered a dermal toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Toxicity Estimate (dermal): Not Applicable

Acute Oral Toxicity: The material is not considered an oral toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Toxicity Estimate (oral): Not Applicable

Acute Inhalation Toxicity: The material is not considered an inhalation toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Toxicity Estimate (inhalation): Not Applicable

Germ Cell Mutagenicity: The material is not considered a mutagen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Carcinogenicity: The material is not considered a carcinogen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

 Revision Number: 3
 6 of 12
 HDAX 9300 SAE 40

 Revision Date: September 06, 2024
 SDS: 49659

Reproductive Toxicity: The material is not considered a reproductive toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Specific Target Organ Toxicity - Single Exposure: The material is not considered a target organ toxicant (single exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Specific Target Organ Toxicity - Repeated Exposure: The material is not considered a target organ toxicant (repeated exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Aspiration Hazard: The material is not considered an aspiration hazard.

Component Information:

| Serious Eye Damage/Irritation: | | |
|--|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met | |
| Reaction mass of isomers of: C7-9-alkyl 3- | Based on available data, the classification criteria are not met | |
| (3,5-di-tert-butyl-4- | | |
| hydroxyphenyl)propionate | | |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl | Based on available data, the classification criteria are not met | |
| derivatives, calcium salts (2:1) | | |
| Benzenesulfonic acid, methyl-, mono-C20- | Based on available data, the classification criteria are not met | |
| 24-branched alkyl derivs., calcium salts | | |

| Skin Corrosion/Irritation: | |
|---|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4- hydroxyphenyl)propionate | Based on available data, the classification criteria are not met |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivatives, calcium salts (2:1) | Based on available data, the classification criteria are not met |
| Benzenesulfonic acid, methyl-, mono-C20- 24-branched alkyl derivs., calcium salts | Based on available data, the classification criteria are not met |

| Skin Sensitization: | |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Reaction mass of isomers of: C7-9-alkyl 3- | Based on available data, the classification criteria are not met |
| (3,5-di-tert-butyl-4- | |
| hydroxyphenyl)propionate | |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl | Test Result: May cause allergic skin reaction |
| derivatives, calcium salts (2:1) | |
| Benzenesulfonic acid, methyl-, mono-C20- | Test Result: May cause allergic skin reaction |
| 24-branched alkyl derivs., calcium salts | * read-across data from similar material |

| Acute Dermal Toxicity: | |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Reaction mass of isomers of: C7-9-alkyl 3- | Based on available data, the classification criteria are not met |
| (3,5-di-tert-butyl-4- | |
| hydroxyphenyl)propionate | |
| | Based on available data, the classification criteria are not met |
| derivatives, calcium salts (2:1) | |
| | Based on available data, the classification criteria are not met |
| 24-branched alkyl derivs., calcium salts | |

| Acute Oral Toxicity: | | |
|--|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met | |

 Revision Number: 3
 7 of 12
 HDAX 9300 SAE 40

 Revision Date: September 06, 2024
 SDS: 49659

| Reaction mass of isomers of: C7-9-alkyl 3- Based on available data, the classification criteria are not met |
|---|
| (3,5-di-tert-butyl-4- |
| hydroxyphenyl)propionate |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl Based on available data, the classification criteria are not met |
| derivatives, calcium salts (2:1) |
| Benzenesulfonic acid, methyl-, mono-C20- Based on available data, the classification criteria are not met |
| 24-branched alkyl derivs., calcium salts |

| Acute Inhalation Toxicity: | |
|---|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4- hydroxyphenyl)propionate | Based on available data, the classification criteria are not met |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivatives, calcium salts (2:1) | Based on available data, the classification criteria are not met |
| Benzenesulfonic acid, methyl-, mono-C20- 24-branched alkyl derivs., calcium salts | Based on available data, the classification criteria are not met |

| Germ Cell Mutagenicity: | |
|---|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Reaction mass of isomers of: C7-9-alkyl 3- | Based on available data, the classification criteria are not met |
| (3,5-di-tert-butyl-4-hydroxyphenyl)propionate | |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl | Based on available data, the classification criteria are not met |
| derivatives, calcium salts (2:1) | |
| | Based on available data, the classification criteria are not met |
| branched alkyl derivs., calcium salts | |

| Carcinogenicity: | |
|---|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4- hydroxyphenyl)propionate | Based on available data, the classification criteria are not met |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivatives, calcium salts (2:1) | Based on available data, the classification criteria are not met |
| Benzenesulfonic acid, methyl-, mono-C20- 24-branched alkyl derivs., calcium salts | Based on available data, the classification criteria are not met |

| Reproductive Toxicity: | | |
|---|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met | |
| Reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4- hydroxyphenyl)propionate | Based on available data, the classification criteria are not met | |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivatives, calcium salts (2:1) | Based on available data, the classification criteria are not met | |
| Benzenesulfonic acid, methyl-, mono-C20- 24-branched alkyl derivs., calcium salts | Based on available data, the classification criteria are not met | |

| Specific Target Organ Toxicity - Single Exposure: | |
|---|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate | Based on available data, the classification criteria are not met |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivatives, calcium salts (2:1) | Based on available data, the classification criteria are not met |
| Benzenesulfonic acid, methyl-, mono-C20- 24-branched alkyl derivs., calcium salts | Based on available data, the classification criteria are not met |

Specific Target Organ Toxicity - Repeated Exposure:

Revision Number: 3 8 of 12 HDAX 9300 SAE 40 Revision Date: September 06, 2024 SDS: 49659

| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
|---|--|
| Reaction mass of isomers of: C7-9-alkyl 3- | Based on available data, the classification criteria are not met |
| (3,5-di-tert-butyl-4-hydroxyphenyl)propionate | |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl | Based on available data, the classification criteria are not met |
| derivatives, calcium salts (2:1) | |
| Benzenesulfonic acid, methyl-, mono-C20- | Based on available data, the classification criteria are not met |
| 24-branched alkyl derivs., calcium salts | |

ADDITIONAL TOXICOLOGY INFORMATION:

During use in engines, contamination of oil with low levels of cancer-causing combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

11.2 Information on other hazards

No other hazards identified.

SECTION 12 ECOLOGICAL INFORMATION

Product Information:

12.1 Toxicity

This material is not expected to be harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

12.2 Persistence and degradability

This material is not expected to be readily biodegradable. The product has not been tested. The statement has been derived from the properties of the individual components.

12.3 Bioaccumulative potential

Bioconcentration Factor: No Data Available

Partition coefficient n-octanol/water (logarithmic value): No data available

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This material does not meet the criteria for PBT or vPvB.

12.6 Endocrine Disrupting Properties

This mixture does not contain any substances that are assessed as having endocrine disrupting properties.

12.7 Other adverse effects

No other adverse effects identified.

Component Information:

| Acute Toxicity: | | |
|---|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met | |
| Reaction mass of isomers of: C7-9-alkyl | Protocol: OECD 202-Daphnia Immob/Repro | |
| 3-(3,5-di-tert-butyl-4- | Test Qualifier: EC50 | |
| hydroxyphenyl)propionate | Test Result: >100 mg/l | |
| | Species: Invertebrate | |
| | Duration:24 hour(s) | |
| | Based on available data, the classification criteria are not met | |
| alkyl derivatives, calcium salts (2:1) | | |
| Benzenesulfonic acid, methyl-, mono- | Based on available data, the classification criteria are not met | |

Revision Number: 3 9 of 12 HDAX 9300 SAE 40 Revision Date: September 06, 2024 SDS: 49659

| C20-24-branched alkyl derivs., calcium | |
|--|--|
| salts | |

| Long-term Toxicity: | |
|---|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| 3-(3,5-di-tert-butyl-4- | No test data available |
| hydroxyphenyl)propionate | |
| Benzoic acid, 2-hydroxy-, mono-C>13- alkyl derivatives, calcium salts (2:1) | Based on available data, the classification criteria are not met |
| Benzenesulfonic acid, methyl-, mono- C20-24-branched alkyl derivs., calcium salts | Based on available data, the classification criteria are not met |

| Biodegradation: | |
|---|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Reaction mass of isomers of: C7-9-alkyl | Protocol: OECD 301B-Modified Sturm |
| 3-(3,5-di-tert-butyl-4- | Test Result: Not readily biodegradable |
| hydroxyphenyl)propionate | |
| Benzenesulfonic acid, methyl-, mono- | Based on available data, the classification criteria are not met |
| C20-24-branched alkyl derivs., calcium | |
| salts | |
| | Based on available data, the classification criteria are not met |
| alkyl derivatives, calcium salts (2:1) | |

| Bioaccumulative Potential: | |
|--|--|
| Highly refined mineral oil (C15 - C50) | Based on available data, the classification criteria are not met |
| Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4- hydroxyphenyl)propionate | No test data available |
| | Based on available data, the classification criteria are not met |
| Benzoic acid, 2-hydroxy-, mono-C>13-alkyl derivatives, calcium salts (2:1) | Based on available data, the classification criteria are not met |

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Use material for its intended purpose or recycle if possible. Oil collection services are available for used oil recycling or disposal. Place contaminated materials in containers and dispose of in a manner consistent with applicable regulations. Contact your sales representative or local environmental or health authorities for approved disposal or recycling methods.

In accordance with European Waste Catalogue (E.W.C.) the codification is the following: 13 02 05

SECTION 14 TRANSPORT INFORMATION

The description shown may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

ADR/RID

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

14.1 UN Number or ID Number: Not applicable **14.2 UN proper shipping name:** Not applicable

 Revision Number: 3
 10 of 12
 HDAX 9300 SAE 40

 Revision Date: September 06, 2024
 SDS: 49659

14.3 Transport hazard class(es): Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable14.6 Special precautions for user: Not applicable

ICAO / IATA

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

14.1 UN Number or ID Number: Not applicable 14.2 UN proper shipping name: Not applicable 14.3 Transport hazard class(es): Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable **14.6 Special precautions for user:** Not applicable

IMO / IMDG

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

14.1 UN Number or ID Number: Not applicable **14.2 UN proper shipping name:** Not applicable **14.3 Transport hazard class(es):** Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable14.6 Special precautions for user: Not applicable

14.7 Maritime Transport in Bulk according to IMO Instruments: Not applicable

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REGULATORY LISTS SEARCHED:

01=EU Directive 76/769/EEC: Restrictions on the marketing and use of certain dangerous substances.

02=EU Directive 90/394/EEC: Carcinogens at work.

03=EU Directive 92/85/EEC: Pregnant or breastfeeding workers.

04=EU Directive 2012/18/EU: Seveso III.

05=EU Directive 98/24/EC: Chemical agents at work.

06=EU Directive 2004/37/EC: On the protection of workers.

07=EU Regulation EC No. 689/2008: Annex 1, Part 1.

08=EU Regulation EC No. 689/2008: Annex 1, Part 2.

09=EU Regulation EC No. 689/2008: Annex 1, Part 3.

10=EU Regulation EC No. 850/2004: Prohibiting and restricting persistent organic pollutants (POPs).

11=EU REACH, Annex XVII: Restrictions on manufacture, placing on the market and use of certain dangerous substances, mixture & article.

12=EU REACH, Annex XIV: Authorization List or Candidate List of Substances of Very High Concern for Authorization (SVHC).

The following components of this material are found on the regulatory lists indicated.

Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di- 05

tert-butyl-4-hydroxyphenyl)propionate

CHEMICAL INVENTORIES:

All components comply with the following chemical inventory requirements: AIIC (Australia), DSL (Canada), ENCS (Japan), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States).

One or more components is listed on ELINCS (European Union). All other components are listed or exempted from listing on EINECS.

Revision Number: 3 11 of 12 HDAX 9300 SAE 40 Revision Date: September 06, 2024 SDS: 49659

15.2 Chemical safety assessment

No chemical safety assessment.

SECTION 16 OTHER INFORMATION

REVISION STATEMENT: SECTION 01 - Company Identification information was modified.

SECTION 01 - Company SDS Address information was modified.

SECTION 01 - Product Use information was added.

SECTION 01 - Web Address information was modified.

SECTION 02 - Supplemental Hazard information was modified.

SECTION 03 - Composition information was modified.

SECTION 03 - Ingredient Comment information was modified.

SECTION 05 - Fire Fighters Protection Measures information was modified.

SECTION 05 - Special hazards arising from the substance or mixture information was modified.

SECTION 06 - Personal Precautions, Protective Equipment and Emergency Procedures information was modified.

SECTION 08 - Respiratory Protection information was added.

SECTION 08 - Respiratory Protection information was modified.

SECTION 08 - Skin Protection information was modified.

SECTION 09 - Physical/Chemical Properties information was modified.

SECTION 11 - Toxicological Information information was modified.

SECTION 12 - Ecological Information information was modified.

Revision Date: September 06, 2024

Full text of CLP H-statements:

Aquatic Chronic 4/H413; May cause long lasting harmful effects to aquatic life Skin Sens. 1/H317; May cause an allergic skin reaction

ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT:

| TLV - Threshold Limit Value | TWA - Time Weighted Average |
|----------------------------------|--|
| STEL - Short-term Exposure Limit | PEL - Permissible Exposure Limit |
| CVX - Chevron | CAS - Chemical Abstract Service Number |
| NQ - Not Quantifiable | |

Prepared according to the EU Regulation 1907/2006 (as amended) by Chevron.

The information in this SDS is based on the knowledge, information, and belief of Chevron and its affiliates as of the publication date. It is not a quality specification, and no warranty, express or implied, is given. We assume no responsibility or liability for the results of using this material. The information presented here pertains only to the listed product. Since conditions of use are beyond our control, it is the user's responsibility to determine the conditions for safe use of this product and assess its suitability for their application. Users should seek additional guidance if necessary.

No Annex

 Revision Number: 3
 12 of 12
 HDAX 9300 SAE 40

 Revision Date: September 06, 2024
 SDS: 49659