Safety Data Sheet

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

VARTECH™ Industrial System Cleaner

Product Number(s): 804464

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses: Industrial Oil

1.3 Details of the supplier of the safety data sheet

Uno-X Smøreolie A/S Buddingevej 195 DK-2860 Søborg

Kundecenter: +45 70 11 56 78

Denmark

Web: lube.unox.dk email : sales@unox.dk

1.4 Emergency telephone number

Transportation Emergency Response

CHEMTREC: +1 703 527 3887

Health Emergency

Danish Environmental Protection Agency: +45 72 54 40 00

Chevron Emergency Information Center: International calls accepted 24 hours: +1 510 231 0623

Poison Control Centre Denmark: 0045/ 82 12 12 12

Product Information

Technical Information: 0045/70 11 56 78

SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLP CLASSIFICATION:

- Skin Sensitizer: Category 1, H317; May cause an allergic skin reaction.
- Chronic aquatic toxicant: Category 3, H412; Harmful to aquatic life with long lasting effects.

2.2 Label elements

Under the criteria of Regulation (EC) No 1272/2008 (CLP):



Signal Word: Warning

Revision Number: 1 1 of 16 VARTECH™ Industrial System Cleaner Revision Date: November 04, 2022 SDS: 53439

HAZARD STATEMENTS:

Health Hazards:

May cause an allergic skin reaction (H317).

Repeated exposure may cause skin dryness or cracking (EUH066).

Environmental Hazards:

Harmful to aquatic life with long lasting effects (H412).

- contains: Oxirane, 2-ethyl-, homopolymer, 2-aminobutyl ether, ether with mixed distn.

residues from manuf. of phenol (tetrapropenyl) derivs. and phenol

(tetrapropenyl) derivs.

Ethanamine, 2-(4-polyisobutylenephenoxy) derivs.

N-2-hydroxyethylcarbamyloxy-4-pib

N-2-hydroxyethyl-N-2-pibphenoxyethylurea

PRECAUTIONARY STATEMENTS:

Prevention:

Contaminated work clothing should not be allowed out of the workplace (P272).

- · Avoid release to the environment (P273).
- Wear protective gloves/protective clothing/eye protection/face protection (P280).

Response:

- IF ON SKIN: Wash with plenty of soap and water (P302+P352).
- If skin irritation or rash occurs: Get medical advice/attention (P333+P313).

Disposal:

 Dispose of contents/container in accordance with applicable local/regional/national/international regulations (P501).

2.3 Other hazards

This product is not, or does not contain, a substance that is a potential PBT or a vPvB. This product is not, or does not contain, a substance that potentially has endocrine disrupting properties.

SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

3.2 Mixtures

This material is a mixture.

COMPONENTS	CAS NUMBER	EC NUMBER	REGISTRATION NUMBER	CLP CLASSIFICATION	AMOUNT
Highly refined mineral oil (C15 - C50)	Mixture	*	***	None	70 - 99 %weight
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	220795-29-9	Not applicable	**	Aquatic Chronic 3/H412; Skin Sens. 1B/H317 [C>=50]	1 - 10 %weight
Ethanamine, 2-(4-polyisobutylenephenoxy) derivs.	1019768-09- 2	Not applicable	**	Aquatic Chronic 3/H412; Skin Sens. 1B/H317	1 - 10 %weight
Solvent naphtha (petroleum), light aromatic	64742-95-6	265-199-0	01-2119455851-35	Asp. Tox. 1/H304; Aquatic Chronic 2/H411; Flam. Liq. 3/H226; Skin Irrit.	1 - 5 %weight

VARTECH™ Industrial System Cleaner Revision Number: 1 2 of 16 Revision Date: November 04, 2022 SDS: 53439

				2/H315; STOT SE 3/H336	
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	25551-13-7	247-099-9	**		0.1 - < 2.5 %weight
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	68411-46-1	270-128-1	01-2119491299-23	Aquatic Chronic 3/H412; Repr. 2/H361f	0.1 - < 1 %weight
N-2- hydroxyethylcarbamylo xy-4-pib		Not applicable	**		0.1 - < 1 %weight
N-2-hydroxyethyl-N-2- pibphenoxyethylurea		Not applicable	**	1 1	0.1 - < 1 %weight

The full text of all CLP H-statements is shown in Section 16.

In accordance with the Regulation (EC)No 1272/2008, Nota L, reference IP 346/92: "DMSO Extraction Method", we have determined that the base oils used in this preparation are not carcinogenic.

*Contains one or more of the following EINECS numbers: 265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-166-0, 265-169-7, 265-176-5, 276-736-3, 276-737-9, 276-738-4, 278-012-2.

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Eye: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.

Skin: Wash skin with water immediately and remove contaminated clothing and shoes. Get medical attention if any symptoms develop. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

Ingestion: No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice.

Inhalation: No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.

4.2 Most important symptoms and effects, both acute and delayed IMMEDIATE SYMPTOMS AND HEALTH EFFECTS

Eve: Not expected to cause prolonged or significant eve irritation.

Skin: Contact with the skin may cause an allergic skin reaction. Skin contact may cause drying or defatting of the skin. Symptoms may include pain, itching, discoloration, swelling, and blistering. **Ingestion:** Not expected to be harmful if swallowed.

Inhalation: Not expected to be harmful if inhaled. Contains a petroleum-based mineral oil. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.

Revision Number: 1 3 of 16 VARTECH™ Industrial System Cleaner Revision Date: November 04, 2022 SDS: 53439

^{**}Not available or substance is not currently required for registration under REACH.

^{***} Contains one or more of the following REACH registration numbers: 01-2119488706-23, 01-

^{2119487067-30. 01-2119487081-40. 01-2119483621-38. 01-2119480374-36. 01-2119488707-21. 01-}

^{2119467170-45, 01-2119480375-34, 01-2119484627-25, 01-2119480132-48, 01-2119487077-29, 01-}

^{2119489287-22, 01-2119480472-38, 01-2119471299-27, 01-2119485040-48, 01-2119555262-43, 01-}

^{2119495601-36, 01-2119474889-13, 01-2119474878-16.}

DELAYED OR OTHER SYMPTOMS AND HEALTH EFFECTS: Not classified.

4.3 Indication of any immediate medical attention and special treatment needed Not applicable.

SECTION 5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

5.2 Special hazards arising from the substance or mixture

Combustion Products: Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion. Combustion may form oxides of: Nitrogen .

5.3 Advice for firefighters

This material will burn although it is not easily ignited. See Section 7 for proper handling and storage. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition in vicinity of spilled material. Refer to Sections 5 and 8 for more information.

6.2 Environmental precautions

Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater.

6.3 Methods and material for containment and cleaning up

Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil and dispose of in a manner consistent with applicable requirements. Place other contaminated materials in disposable containers and dispose of in a manner consistent with applicable requirements. Report spills to local authorities as appropriate or required.

6.4 Reference to other sections

See sections 8 and 13.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

General Handling Information: Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

Precautionary Measures: Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Wash thoroughly after handling.

Static Hazard: Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures.

Container Warnings: Container is not designed to contain pressure. Do not use pressure to empty

Revision Number: 1 4 of 16 Revision Date: November 04, 2022 **SDS**: 53439 container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

7.2 Conditions for safe storage, including any incompatibilities Not Applicable

7.3 Specific end use(s):Industrial Oil

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

GENERAL CONSIDERATIONS:

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the workplace when designing engineering controls and selecting personal protective equipment (PPE). If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, refer to PPE information below.

Factors that affect PPE include, but are not limited to: properties of the chemical, other chemicals which may contact the same PPE, physical requirements (fit & sizing, cut/puncture protection, dexterity, thermal protection, etc.), and potential allergic reactions to the PPE material. It is the responsibility of the user to read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances. Refer to appropriate CEN standards.

8.1 Control parameters

Occupational Exposure Limits:

Component	Country/ Agency	Form	TWA	STEL	Ceiling	Notation
Highly refined mineral oil (C15 - C50)	Denmark		1 mg/m3			
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Denmark		100 mg/m3			

Consult local authorities for appropriate values.

8.2 Exposure controls ENGINEERING CONTROLS:

Use in a well-ventilated area.

PERSONAL PROTECTIVE EQUIPMENT

Eye/Face Protection: Wear protective equipment to prevent eye contact. Selection of protective equipment may include safety glasses, chemical goggles, face shields, or a combination depending on the work operations conducted.

Skin Protection: Wear chemical personal protective equipment (PPE) to prevent skin contact. Selection of chemical protective clothing should be performed by an Occupational Hygienist or Safety Professional and be based upon applicable standards (ASTM F739 or EN 374). Using chemical PPE depends upon operations conducted and may include chemical gloves, boots, chemical apron, chemical suit, and complete facial protection. Refer to PPE manufacturers to obtain breakthrough time information to determine how long PPE can be used before it needs to be replaced. Unless specific glove manufacturer data indicates otherwise, the below table is based upon available industry data to assist in the glove selection process and is intended to be used as reference only.

Chemical Glove Material	Thickness (mm)	Typical Breakthrough Time (minutes)
Nitrile	0.8	5

Revision Number: 1 5 of 16 VARTECH™ Industrial System Cleaner Revision Date: November 04, 2022 SDS: 53439

Nitrile	0.11	5
Polyvinyl Chloride (PVC)	1.1	13
Viton Butyl	0.3	120

Butyl	Not recommended for use
Neoprene	Not recommended for use

Respiratory Protection: No respiratory protection is normally required. If user operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit for mineral oil mist. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge.

ENVIRONMENTAL EXPOSURE CONTROLS:

See relevant Community environmental protection legislation or the Annex, as applicable.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Attention: the data below are typical values and do not constitute a specification.

9.1 Information on basic physical and chemical properties

Appearance Color: Clear

Physical State: Liquid Odor: Hydrocarbon odor

Odor Threshold: No data available

pH: Not Applicable

Melting Point: No data available Freezing Point: No data available Initial Boiling Point: No data available

Flashpoint: (Cleveland Open Cup) 128 °C (262 °F) (Minimum)

Evaporation Rate: No data available **Flammability (solid, gas):** Not Applicable

Flammability (Explosive) Limits (% by volume in air):

Lower: No data available Upper: No data available

Vapor Pressure: No data available

Vapor Density (Air = 1): No data available Density: 0.8803 kg/l @ 15°C (59°F) (Typical)

Solubility: Insoluble in water.

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: 47.51 mm2/s @ 40°C (104°F) (Minimum)

Explosive Properties: No Data Available **Oxidising properties:** No Data Available

9.2 Other Information: No Data Available

SECTION 10 STABILITY AND REACTIVITY

- **10.1 Reactivity:** May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
- **10.2 Chemical Stability:** This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
- **10.3 Possibility of hazardous reactions:** Hazardous polymerization will not occur.

10.4 Conditions to Avoid: Not applicable

Revision Date: November 04, 2022

Revision Number: 1 6 of 16 VARTECH™ Industrial System Cleaner

SDS: 53439

10.5 Incompatible materials to avoid: Not applicable

10.6 Hazardous decomposition products: None known (None expected)

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Product Information:

Serious Eye Damage/Irritation: The material is not considered an eye irritant. The product has not been tested. The statement is based on evaluation of data for product components.

Skin Corrosion/Irritation: The material is not considered a skin irritant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Skin Sensitization: The material may cause an allergic skin reaction. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Dermal Toxicity: The material is not considered a dermal toxicant. The product has not been tested. The statement is based on evaluation of data for product components.

Acute Toxicity Estimate (dermal): Not Applicable

Acute Oral Toxicity: The material is not considered an oral toxicant. The product has not been tested. The statement is based on evaluation of data for product components.

Acute Toxicity Estimate (oral): Not Applicable

Acute Inhalation Toxicity: The material is not considered an inhalation toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Acute Toxicity Estimate (inhalation): Not Applicable

Germ Cell Mutagenicity: The material is not considered a mutagen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Carcinogenicity: The material is not considered a carcinogen. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Reproductive Toxicity: The material is not considered a reproductive toxicant. The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Specific Target Organ Toxicity - Single Exposure: The material is not considered a target organ toxicant (single exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Specific Target Organ Toxicity - Repeated Exposure: The material is not considered a target organ toxicant (repeated exposure). The product has not been tested. The statement is based on evaluation of data for similar materials or product components.

Aspiration Hazard: The material is not considered an aspiration hazard.

Component Information:

Serious Eye Damage/Irritation:			
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met		
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Based on available data, the classification criteria are not met		

Revision Number: 1 7 of 16 VARTECH™ Industrial System Cleaner Revision Date: November 04, 2022 SDS: 53439

Ethanamine, 2-(4-polyisobutylenephenoxy)	Based on available data, the classification criteria are not met
derivs.	
Solvent naphtha (petroleum), light aromatic	Based on available data, the classification criteria are not met
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-;	Based on available data, the classification criteria are not met
1,3,5- isomer)	
N-Phenylbenzenamine, reaction products	Based on available data, the classification criteria are not met
with 2,4,4-trimethylpentene	
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Based on available data, the classification criteria are not met
N-2-hydroxyethylcarbamyloxy-4-pib	Based on available data, the classification criteria are not met

Skin Corrosion/Irritation:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Based on available data, the classification criteria are not met
Ethanamine, 2-(4-polyisobutylenephenoxy)	Based on available data, the classification criteria are not met
derivs.	
Solvent naphtha (petroleum), light aromatic	Test Result: Causes skin irritation
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Test Result: Causes skin irritation
N-Phenylbenzenamine, reaction products with 2.4.4-trimethylpentene	Based on available data, the classification criteria are not met
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Based on available data, the classification criteria are not met
N-2-hydroxyethylcarbamyloxy-4-pib	Based on available data, the classification criteria are not met

Skin Sensitization:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Test Result: May cause allergic skin reaction
Ethanamine, 2-(4-polyisobutylenephenoxy)	Protocol: OECD 406 - Skin Sensitization
derivs.	Test Result: May cause allergic skin reaction
	* read-across data from similar material
Solvent naphtha (petroleum), light aromatic	Based on available data, the classification criteria are not met
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Based on available data, the classification criteria are not met
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	Based on available data, the classification criteria are not met
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Test Result: May cause allergic skin reaction
N-2-hydroxyethylcarbamyloxy-4-pib	Test Result: May cause allergic skin reaction

Acute Dermal Toxicity:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Based on available data, the classification criteria are not met
Ethanamine, 2-(4-polyisobutylenephenoxy derivs.	Based on available data, the classification criteria are not met
Solvent naphtha (petroleum), light aromatic	Based on available data, the classification criteria are not met
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4 1,3,5- isomer)	-;Based on available data, the classification criteria are not met

Revision Number: 18 of 16VARTECH™ Industrial System CleanerRevision Date: November 04, 2022SDS: 53439

N-Phenylbenzenamine, reaction products	Based on available data, the classification criteria are not met
with 2,4,4-trimethylpentene	
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Based on available data, the classification criteria are not met
N-2-hydroxyethylcarbamyloxy-4-pib	Based on available data, the classification criteria are not met

Acute Oral Toxicity:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Based on available data, the classification criteria are not met
Ethanamine, 2-(4-polyisobutylenephenoxy)	Based on available data, the classification criteria are not met
derivs.	
Solvent naphtha (petroleum), light aromatic	Based on available data, the classification criteria are not met
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Based on available data, the classification criteria are not met
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	Based on available data, the classification criteria are not met
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Based on available data, the classification criteria are not met
N-2-hydroxyethylcarbamyloxy-4-pib	Based on available data, the classification criteria are not met

Acute Inhalation Toxicity:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Based on available data, the classification criteria are not met
Ethanamine, 2-(4-polyisobutylenephenoxy) derivs.	Based on available data, the classification criteria are not met
Solvent naphtha (petroleum), light aromatic	Based on available data, the classification criteria are not met
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Based on available data, the classification criteria are not met
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	Based on available data, the classification criteria are not met
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Based on available data, the classification criteria are not met
N-2-hydroxyethylcarbamyloxy-4-pib	Based on available data, the classification criteria are not met

Germ Cell Mutagenicity:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2-aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Based on available data, the classification criteria are not met
Ethanamine, 2-(4-polyisobutylenephenoxy) derivs.	Based on available data, the classification criteria are not met
Solvent naphtha (petroleum), light aromatic	Based on available data, the classification criteria are not met
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Based on available data, the classification criteria are not met
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	Based on available data, the classification criteria are not met
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Based on available data, the classification criteria are not met
N-2-hydroxyethylcarbamyloxy-4-pib	Based on available data, the classification criteria are not met

Carcinogenicity:		
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met	

Revision Number: 19 of 16VARTECH™ Industrial System CleanerRevision Date: November 04, 2022SDS: 53439

Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Based on available data, the classification criteria are not met
Ethanamine, 2-(4-polyisobutylenephenoxy) derivs.	Based on available data, the classification criteria are not met
Solvent naphtha (petroleum), light aromatic	Based on available data, the classification criteria are not met
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Based on available data, the classification criteria are not met
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	Based on available data, the classification criteria are not met
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Based on available data, the classification criteria are not met
N-2-hydroxyethylcarbamyloxy-4-pib	Based on available data, the classification criteria are not met

Reproductive Toxicity:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Based on available data, the classification criteria are not met
	Based on available data, the classification criteria are not met
derivs.	
Solvent naphtha (petroleum), light aromatic	Based on available data, the classification criteria are not met
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Based on available data, the classification criteria are not met
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	Test Result: Suspected of damaging fertility or the unborn child if ingested
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Based on available data, the classification criteria are not met
N-2-hydroxyethylcarbamyloxy-4-pib	Based on available data, the classification criteria are not met

Specific Target Organ Toxicity - Single Exposure:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Based on available data, the classification criteria are not met
Ethanamine, 2-(4-polyisobutylenephenoxy) derivs.	Based on available data, the classification criteria are not met
Solvent naphtha (petroleum), light aromatic	Test Result: May cause drowsiness or dizziness
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Test Result: May cause drowsiness or dizziness
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Test Result: May cause respiratory irritation
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	Based on available data, the classification criteria are not met
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Based on available data, the classification criteria are not met
N-2-hydroxyethylcarbamyloxy-4-pib	Based on available data, the classification criteria are not met

Specific Target Organ Toxicity - Repeated Exposure:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Based on available data, the classification criteria are not met

Revision Number: 1 10 of 16 VARTECH™ Industrial System Cleaner Revision Date: November 04, 2022 SDS: 53439

Ethanamine, 2-(4-polyisobutylenephenoxy)	Based on available data, the classification criteria are not met
derivs.	
Solvent naphtha (petroleum), light aromatic	Based on available data, the classification criteria are not met
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-;	Based on available data, the classification criteria are not met
1,3,5- isomer)	
N-Phenylbenzenamine, reaction products	Based on available data, the classification criteria are not met
with 2,4,4-trimethylpentene	
N-2-hydroxyethyl-N-2-pibphenoxyethylurea	Based on available data, the classification criteria are not met
N-2-hydroxyethylcarbamyloxy-4-pib	Based on available data, the classification criteria are not met

ADDITIONAL TOXICOLOGY INFORMATION:

COMPONENT: Light Aromatic Solvent Naphtha (CAS 64742-95-6, also described as High-Flash Aromatic Naphtha, Type I, as defined by ASTM D-3734). GENETIC TOXICITY: No evidence of genetic toxicity was observed in the following tests: Salmonella typhimurium reverse mutation assay (Ames test), in vitro Chinese Hamster Ovary (CHO) cell HGPRT mutation assay, in vitro Chinese Hamster Ovary (CHO) cell chromosomal aberration assay, in vitro Chinese Hamster Ovary (CHO) cell sister chromatid exchange assay, and in vivo rat bone marrow chromosome aberration assay. SUBCHRONIC TOXICITY: In a 13-week rat inhalation study using dose levels of 0, 100, 500, and 1500 ppm for 6 hours/day, 5 days/week, no target organ toxicity including neurotoxicity was observed at any dose level. Slight general systemic toxicity (decreased body weight gain) was observed at 1500 ppm.

DEVELOPMENTAL TOXICITY: In a mouse inhalation study using dose levels of 0, 100, 500, and 1500 ppm for 6 hours/day on gestation days 6-15, no signs of maternal toxicity or developmental toxicity were observed at 100 ppm. At 500 ppm, maternal toxicity (decreased body weight gain) and developmental toxicity (decreased fetal body weight) were observed. Severe maternal toxicity (44% mortality, decreased body weight gain, clinical signs of toxicity) and developmental toxicity (decreased number of live fetuses per litter, increased post-implantation losses per dam, decreased fetal body weights, delayed ossification, cleft palate) were observed at 1500 ppm. In a rat inhalation study using dose levels of 600, 1000, and 2000 mg/m3 for 24 hours/day on gestation days 7-15, signs of maternal toxicity (decreased body weight gain) were observed at all dose levels. At 600 mg/m3, no signs of fetal or developmental toxicity were observed. Signs of fetal toxicity (decreased male fetal body weight) and developmental toxicity (delayed ossification) were observed at 1000 and 2000 mg/m3. REPRODUCTIVE TOXICITY: In a rat 3-generation inhalation study using dose levels of 0, 100, 500, and 1500 ppm for 6 hours/day, 5 days/week, no signs of general systemic or reproductive toxicity were observed at 100 ppm. At 500 ppm, slight parental toxicity (decreased body weight gain) and postnatal toxicity (decreased pup body weight) were observed, but reproductive parameters were not affected. Severe parental toxicity (mortality, decreased body weight gain, clinical signs of toxicity) and postnatal toxicity (decreased pup body weight) were observed at 1500 ppm, but reproductive parameters were not affected.

11.2 Information on other hazards

No other hazards identified.

SECTION 12 ECOLOGICAL INFORMATION

Product Information:

12.1 Toxicity

This material is expected to be harmful to aquatic organisms and may cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

12.2 Persistence and degradability

This material is not expected to be readily biodegradable. The product has not been tested. The statement has been derived from the properties of the individual components.

12.3 Bioaccumulative potential

Bioconcentration Factor: No Data Available

Octanol/Water Partition Coefficient: No data available

VARTECH™ Industrial System Cleaner **Revision Number: 1** Revision Date: November 04, 2022 **SDS**: 53439

12.4 Mobility in soil No data available.

12.5 Results of PBT and vPvB assessment

This product is not, or does not contain, a substance that is a potential PBT or a vPvB.

12.6 Endocrine Disrupting Properties

This mixture does not contain any substances that are assessed as having endocrine disrupting properties.

12.7 Other adverse effects

No other adverse effects identified.

Component Information:

Acute Toxicity:	
•	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2-	Test Qualifier: LC50
aminobutyl ether, ether with mixed distn.	Test Result: 22 mg/l
residues from manuf. of phenol	Species: Fish
(tetrapropenyl) derivs. and phenol	Duration:96 hour(s)
(tetrapropenyl) derivs.	
Ethanamine, 2-(4-	Test Qualifier: EC50
polyisobutylenephenoxy) derivs.	Test Result: 50 mg/l (WAF)
	Species: Invertebrate
	Duration:48 hour(s)
0 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	* read-across data from similar material
Oxirane, 2-ethyl-, homopolymer, 2-	Test Qualifier: EC50 (growth rate)
aminobutyl ether, ether with mixed distn.	Test Result: 11 mg/l
residues from manuf. of phenol	Species: Algae
(tetrapropenyl) derivs. and phenol	Duration:96 hour(s)
(tetrapropenyl) derivs. Oxirane, 2-ethyl-, homopolymer, 2-	Test Qualifier: EC50
aminobutyl ether, ether with mixed distn.	Test Result: >1000 mg/l
residues from manuf. of phenol	Species: Invertebrate
(tetrapropenyl) derivs. and phenol	Duration:48 hour(s)
(tetrapropenyl) derivs.	
Solvent naphtha (petroleum), light	Test Qualifier: EC50
aromatic	Test Result: 3.29 mg/l
	Species: Algae
	Duration:72 hour(s)
Solvent naphtha (petroleum), light	Test Qualifier: EC50
aromatic	Test Result: 6.14 mg/l
	Species: Invertebrate
	Duration:48 hour(s)
Solvent naphtha (petroleum), light	Test Qualifier: LC50
aromatic	Test Result: 9.22 mg/l
	Species: Fish
	Duration:96 hour(s)
Trimethylbenzene (3 isomers: 1,2,3-;	Based on available data, the classification criteria are not met
1,2,4-; 1,3,5- isomer)	
N-Phenylbenzenamine, reaction products	Confidential test data
with 2,4,4-trimethylpentene	
N-Phenylbenzenamine, reaction products	Confidential test data
with 2,4,4-trimethylpentene	No toot data available
N-2-hydroxyethylcarbamyloxy-4-pib	No test data available
N-2-hydroxyethyl-N-2-	No test data available
pibphenoxyethylurea	0
N-Phenylbenzenamine, reaction products	Contidential test data

VARTECH™ Industrial System Cleaner SDS: 53439 **Revision Number: 1** 12 of 16 Revision Date: November 04, 2022

1	
with 2.4.4-trimethylpentene	
With 2 4 4-trimethylpentene	

Long-term Toxicity:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	No test data available
Ethanamine, 2-(4-polyisobutylenephenoxy) derivs.	No test data available
Solvent naphtha (petroleum), light aromatic	No test data available
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Based on available data, the classification criteria are not met
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	Confidential test data
N-2-hydroxyethyl-N-2- pibphenoxyethylurea	No test data available
N-2-hydroxyethylcarbamyloxy-4-pib	No test data available

Biodegradation:	
	Based on available data, the classification criteria are not met
aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	Protocol: OECD 301C-Modified MITI Test Result: Not readily biodegradable Biodegradation: 2%
Ethanamine, 2-(4-polyisobutylenephenoxy) derivs.	Test Result: Not readily biodegradable
Solvent naphtha (petroleum), light aromatic	Test Result: Not readily biodegradable
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Based on available data, the classification criteria are not met
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	Test Result: Not readily biodegradable Biodegradation: 0-1%
N-2-hydroxyethylcarbamyloxy-4-pib N-2-hydroxyethyl-N-2- pibphenoxyethylurea	Not applicable Not applicable

Bioaccumulative Potential:	
Highly refined mineral oil (C15 - C50)	Based on available data, the classification criteria are not met
Oxirane, 2-ethyl-, homopolymer, 2- aminobutyl ether, ether with mixed distn. residues from manuf. of phenol (tetrapropenyl) derivs. and phenol (tetrapropenyl) derivs.	No test data available
Ethanamine, 2-(4-polyisobutylenephenoxy) derivs.	No test data available
	No test data available
Trimethylbenzene (3 isomers: 1,2,3-; 1,2,4-; 1,3,5- isomer)	Based on available data, the classification criteria are not met
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	No test data available
N-2-hydroxyethylcarbamyloxy-4-pib	No test data available
N-2-hydroxyethyl-N-2- pibphenoxyethylurea	No test data available

VARTECH™ Industrial System Cleaner SDS: 53439 Revision Number: 1 Revision Date: November 04, 2022 13 of 16

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Use material for its intended purpose or recycle if possible. Oil collection services are available for used oil recycling or disposal. Place contaminated materials in containers and dispose of in a manner consistent with applicable regulations. Contact your sales representative or local environmental or health authorities for approved disposal or recycling methods.

In accordance with European Waste Catalogue (E.W.C.) the codification is the following: 13 02 05

SECTION 14 TRANSPORT INFORMATION

The description shown may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

ADR/RID

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

14.1 UN Number or ID Number: Not applicable 14.2 UN proper shipping name: Not applicable 14.3 Transport hazard class(es): Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable14.6 Special precautions for user: Not applicable

ICAO / IATA

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

14.1 UN Number or ID Number: Not applicable 14.2 UN proper shipping name: Not applicable 14.3 Transport hazard class(es): Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable14.6 Special precautions for user: Not applicable

IMO / IMDG

NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT

14.1 UN Number or ID Number: Not applicable 14.2 UN proper shipping name: Not applicable 14.3 Transport hazard class(es): Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards: Not applicable14.6 Special precautions for user: Not applicable

14.7 Maritime Transport in Bulk according to IMO Instruments: Not applicable

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REGULATORY LISTS SEARCHED:

01=EU Directive 76/769/EEC: Restrictions on the marketing and use of certain dangerous substances.

02=EU Directive 90/394/EEC: Carcinogens at work.

03=EU Directive 92/85/EEC: Pregnant or breastfeeding workers.

04=EU Directive 96/82/EC (Seveso II): Article 9.

05=EU Directive 96/82/EC (Seveso II): Articles 6 and 7.

Revision Number: 1 14 of 16 VARTECH™ Industrial System Cleaner Revision Date: November 04, 2022 SDS: 53439

```
06=EU Directive 98/24/EC: Chemical agents at work.
```

11=EU Regulation EC No. 850/2004: Prohibiting and restricting persistent organic pollutants (POPs).

12=EU REACH, Annex XVII: Restrictions on manufacture, placing on the market and use of certain dangerous substances, mixture & article.

13=EU REACH, Annex XIV: Authorization List or Candidate List of Substances of Very High Concern for Authorization (SVHC).

The following components of this material are found on the regulatory lists indicated.

Solvent naphtha (petroleum), light aromatic

01, 02, 03, 06, 12

CHEMICAL INVENTORIES:

All components comply with the following chemical inventory requirements: AIIC (Australia), DSL (Canada), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States).

One or more components has been notified but may not be listed in the following chemical inventories: IECSC (China). Secondary notification may be required.

15.2 Chemical safety assessment

No chemical safety assessment.

SECTION 16 OTHER INFORMATION

REVISION STATEMENT: SECTION 01 - Company Identification information was added.

SECTION 01 - Health Emergency information was modified.

SECTION 01 - Transportation Emergency Response information was modified.

SECTION 02 - Environmental Classification information was modified.

SECTION 02 - Hazard Statements information was modified.

SECTION 02 - Health Classification information was modified.

SECTION 02 - Precautionary Statements information was modified.

SECTION 02 - Supplemental Hazard information was modified.

SECTION 02.2 - Hazardous Component Identification List information was modified.

SECTION 03 - Composition information was modified.

SECTION 08 - Eye/Face Protection information was modified.

SECTION 08 - General Considerations information was modified.

SECTION 08 - Occupational Exposure Limit Table information was modified.

SECTION 08 - Personal Protective Equipment List information was deleted.

SECTION 08 - Personal Protective Equipment information was added.

SECTION 08 - Skin Protection information was modified.

SECTION 09 - Physical/Chemical Properties information was modified.

SECTION 11 - Carcinogenicity information was added.

SECTION 11 - Germ Cell Mutagenicity information was added.

SECTION 11 - Reproductive Toxicity information was added.

SECTION 11 - Specific Target Organ Toxicity - Repeated Exposure information was added.

SECTION 11 - Specific Target Organ Toxicity - Single Exposure information was added.

SECTION 11 - Toxicological Information information was modified.

SECTION 11.2 - Other Hazards information was added.

SECTION 12 - Ecological Information information was modified.

SECTION 12.6 - Endocrine Disrupting Properties information was added.

SECTION 15 - Chemical Inventories information was modified.

SECTION 15 - Regulatory Information information was modified.

SECTION 16 - Full Text of H-Statements information was modified.

Revision Number: 1 15 of 16 VARTECH™ Industrial System Cleaner Revision Date: November 04, 2022 SDS: 53439

⁰⁷⁼EU Directive 2004/37/EC: On the protection of workers.

⁰⁸⁼EU Regulation EC No. 689/2008: Annex 1, Part 1.

⁰⁹⁼EU Regulation EC No. 689/2008: Annex 1, Part 2.

¹⁰⁼EU Regulation EC No. 689/2008: Annex 1, Part 3.

Revision Date: November 04, 2022

Full text of CLP H-statements:

Asp. Tox. 1/H304; May be fatal if swallowed and enters airways

Aguatic Chronic 2/H411: Toxic to aquatic life with long lasting effects

Aquatic Chronic 3/H412; Harmful to aquatic life with long lasting effects

Eye Irrit. 2/H319; Causes serious eye irritation

Flam. Lig. 3/H226: Flammable liquid and vapor

Repr. 2/H361f; Suspected of damaging fertility

Skin Sens. 1/H317; May cause an allergic skin reaction

Skin Irrit. 2/H315: Causes skin irritation

STOT SE 3/H336; May cause drowsiness or dizziness

STOT SE 3/H335; May cause respiratory irritation

Acute Tox. 4/H332: Harmful if inhaled

ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT:

TLV - Threshold Limit Value	TWA - Time Weighted Average
STEL - Short-term Exposure Limit	PEL - Permissible Exposure Limit
CVX - Chevron	CAS - Chemical Abstract Service Number
NQ - Not Quantifiable	

Prepared according to the EU Regulation 1907/2006 (as amended) by Chevron Technical Center, 6001 Bollinger Canyon Road, San Ramon, CA 94583.

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

		_				
N	\sim	Α	n	n	^	v
14		_			٠.	

VARTECH™ Industrial System Cleaner **Revision Number: 1** 16 of 16 Revision Date: November 04, 2022

SDS: 53439