according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ANDEROL PQAA 150-A

Product code : 00000000062666860

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricants and lubricant additives

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Anderol B.V.

Groot Egtenrayseweg 23

5928 PA Venlo Netherlands +31 77 396 0340

Responsible Department : +49 221 8885 2288

infosds@lanxess.com

1.4 Emergency telephone number

Emergency telephone number : For 24/7 multilingual emergency please call

CHEMTREC EMEA: +44 20 3885 0382 and mention

CCN1402.

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration		
	EC-No.		(% w/w)		
	Index-No.				
	Registration number				
Substances with a workplace exposure limit :					
White mineral oil (petroleum)	8042-47-5		>= 70 - < 90		
	232-455-8				
	01-2119487078-27				

For explanation of abbreviations see section 16.

Disclaimer: EC numbers starting with 6, 7, 8, or 9 in this document are ECHA List Numbers used for internal reference and do not carry legal significance as typical EC Numbers in Safety Data Sheets.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. Get medical attention if symptoms occur.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

Get medical attention if symptoms occur.

# 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Carbon dioxide (CO2)
Carbon monoxide

# 5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

3/15

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Electrical installations / working materials must comply with the technological safety standards.

u

Advice on common storage : No materials to be especially mentioned.

Storage class (TRGS 510) : 10, Combustible liquids

Further information on stor-

age stability

Stable under recommended storage conditions.

#### 7.3 Specific end use(s)

Specific use(s) : Lubricants, greases, release products

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
White mineral oil (petroleum)	8042-47-5	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

Peak-limit: excursion factor (category): 4; II				
Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
	MAK (measured as the alveolate fraction)	5 mg/m3	DE DFG MAK	
Peak-limit: excursion factor (category): 4; II				
Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed				

### 8.2 Exposure controls

#### **Engineering measures**

If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber - NBR

Wearing time : < 60 min

Remarks : After contamination with product change the gloves immedi-

ately and dispose of them according to relevant national and local regulations The suitability for a specific workplace should be discussed with the producers of the protective

gloves.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an ap-

proved filter.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : oily

Physical state : liquid

Colour : yellow

Odour : not determined

5/15

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

Odour Threshold : No data available

Pour point : -15 °C

Method: ASTM D 97-66

Boiling point/boiling range : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : 220 °C

Method: ASTM D 92

Ignition temperature : No data available

Decomposition temperature : No data available

pH : substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 148 cSt (40 °C)

Method: ASTM D 445

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : No data available

Density : No data available

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

6/15

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

9.2 Other information

Explosives : No data available

Oxidizing properties : No data available

Flammability (liquids) : No data available

Flammable solids

Burning number : No data available

Self-ignition : No data available

Molecular weight : No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2 Chemical stability

Stable under normal conditions.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : Under normal conditions of storage and use, hazardous reac-

tions will not occur.

No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No specific data.

# 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

Not classified due to lack of data.

#### **Components:**

# White mineral oil (petroleum):

Print Date: 14.01.2025

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

#### Skin corrosion/irritation

Not classified due to lack of data.

#### **Components:**

# White mineral oil (petroleum):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

#### Serious eye damage/eye irritation

Not classified due to lack of data.

### **Components:**

#### White mineral oil (petroleum):

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

#### Respiratory or skin sensitisation

### Skin sensitisation

Not classified due to lack of data.

#### Respiratory sensitisation

Not classified due to lack of data.

### **Components:**

# White mineral oil (petroleum):

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig

Result : Did not cause sensitisation on laboratory animals.

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

# Germ cell mutagenicity

Not classified due to lack of data.

### **Components:**

# White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow

Application Route: Intraperitoneal Method: OECD Test Guideline 474

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

### Carcinogenicity

Not classified due to lack of data.

#### Reproductive toxicity

Not classified due to lack of data.

### **Components:**

### White mineral oil (petroleum):

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Dose: > 4350 milligram per kilogram

Symptoms: No effect level.

Method: OECD Test Guideline 415

Effects on foetal develop-

ment

Test Type: Pre-natal Species: Rat, female

Application Route: Oral

Dose: 5000 milligram per kilogram

General Toxicity Maternal: NOAEL: >= 5.000 mg/kg bw/day Developmental Toxicity: NOAEL: >= 5.000 mg/kg bw/day

Method: OECD Test Guideline 414

Result: No adverse effects

### STOT - single exposure

Not classified due to lack of data.

# STOT - repeated exposure

Not classified due to lack of data.

Print Date: 14.01.2025

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

#### Repeated dose toxicity

### **Components:**

### White mineral oil (petroleum):

Species : Rat, male and female

NOAEL : 1.800 mg/kg

Application Route : Oral Exposure time : 90 d

Dose : 1800 mg/kg

Method : OECD Test Guideline 408

Remarks : Chronic toxicity

### **Aspiration toxicity**

Not classified due to lack of data.

#### Components:

# White mineral oil (petroleum):

No aspiration toxicity classification

### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Further information**

Product:

Remarks : No data available

# **SECTION 12: Ecological information**

# 12.1 Toxicity

### **Components:**

### White mineral oil (petroleum):

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Analytical monitoring: No

Method: OECD Test Guideline 203

Remarks: water extractable fraction

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version **Revision Date:** SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Analytical monitoring: No

Method: OECD Test Guideline 202 Remarks: water extractable fraction

Toxicity to algae/aquatic

plants

NOELR (Pseudokirchneriella subcapitata (microalgae)): > 100

mg/l

End point: Growth rate Exposure time: 72 h

Analytical monitoring: No information available.

Method: OECD Test Guideline 201 Remarks: water extractable fraction

### 12.2 Persistence and degradability

#### **Components:**

#### White mineral oil (petroleum):

Biodegradability Test Type: aerobic

Concentration: 44 mg/l

Result: Inherently biodegradable.

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: Yes

Remarks: Information given is based on data obtained from

similar substances.

### 12.3 Bioaccumulative potential

#### **Components:**

#### White mineral oil (petroleum):

Partition coefficient: n-

log Pow: > 6

octanol/water

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

### **Product:**

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Print Date: 14.01.2025

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimised

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilt material and runoff and contact with

soil, waterways, drains and sewers.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

Print Date: 14.01.2025

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

IMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Hazard and Handling Notes. : Not dangerous cargo.

Keep separated from foodstuffs.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75

Do not use for tattooing purposes.

International Chemical Weapons Convention (CWC)
Schedules of Toxic Chemicals and Precursors

: Not applicable

Print Date: 14.01.2025

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version **Revision Date:** SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regu-

lation (EC) No 1907/2006 (REACH),

Article 57).

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Council Regulation (EC) No 111/2005 laying down rules : for the monitoring of trade between the Community and

third countries in drug precursors.

Neither banned nor restricted

Council Regulation (EC) No 273/2004 on drug precur-

sors

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class (Germa: WGK 1 slightly hazardous to water

ny)

Classification according to AwSV, Annex 1 (5)

# 15.2 Chemical safety assessment

Not applicable

#### **SECTION 16: Other information**

### **Full text of H-Statements**

### Full text of other abbreviations

DE DFG MAK Germany. MAK BAT Annex IIa

DE TRGS 900 Germany. TRGS 900 - Occupational exposure limit values.

DE DFG MAK / MAK MAK value

14 / 15

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



# **ANDEROL PQAA 150-A**

Version Revision Date: SDS Number: Date of last issue: -

1.0 17.12.2024 203000024440 Country / Language: DE / 6N (EN)

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.