according to Regulation (EC) No. 1907/2006



## Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Anderol 86 EP-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricant

stance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

:

Company: <u>Manufacturer</u>

Anderol Specialty Lubricants Groot Egtenrayseweg 23

5928 PA Venlo Netherlands

Telephone: +31-77 396 0340

Supplier

LANXESS Solutions UK Ltd. Tenax Road, Trafford Park

Manchester United Kingdom M17 1WT

Customer Service: +44 161 875 3800

Prepared by Product Safety Department

(US) +1 866-430-2775

Further information for the safety data sheet: MSDSRe-

quest@lanxess.com

#### 1.4 Emergency telephone number

Emergency telephone

number: +44 (0) 1235 239 670 (NCEC)

For additional emergency telephone numbers see section 16 of

the Safety Data Sheet.

according to Regulation (EC) No. 1907/2006



#### Anderol 86 EP-2

Version Revision Date: SDS Number: Date of last issue: 04.08.2017 1.5 05.10.2020 000000002624 Date of first issue: 19.11.2014

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### **Additional Labelling**

EUH208 Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic

acids, petroleum, calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl

derivs., calcium salts. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Mixture

#### Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
	Registration number		
Benzenesulfonic acid, C10-16- alkyl derivs., calcium salts	68584-23-6 271-529-4 01-2119492627-25- 0001	Skin Sens. 1B; H317	>= 1 - < 10
calcium dodecylbenzenesulpho- nate	26264-06-2 247-557-8 01-2120122335-68- 0001	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4; H413	>= 1 - < 2.5
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0001	Skin Sens. 1B; H317	>= 1 - < 10
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0 274-263-7 01-2119492616-28- 0004	Skin Sens. 1B; H317	>= 1 - < 10

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006



#### Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : Remove to fresh air.

Aspiration may cause pulmonary oedema and pneumonitis.

If breathing is difficult, give oxygen. If symptoms persist, call a physician.

In case of skin contact : Wash off with warm water and soap.

If skin irritation persists, call a physician.

Cool skin rapidly with cold water after contact with molten

material.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately.

If swallowed : Do NOT induce vomiting.

Obtain medical attention.

Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : irritant effects

Sensitisation

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : (on small fires)

Carbon dioxide (CO2)

Dry chemical Dry sand

Extinguishing media - large fires

Water mist Foam

Unsuitable extinguishing

media

: Water spray jet

according to Regulation (EC) No. 1907/2006



#### Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Burning produces irritant fumes.

Exposure to decomposition products may be a hazard to

health.

#### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Further information : Cool containers/tanks with water spray.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable protective equipment.

#### 6.2 Environmental precautions

Environmental precautions : Should not be released into the environment.

Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Dam up.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Pick up and transfer to properly labelled containers.

#### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice.

Wear suitable protective equipment. Avoid contact with skin, eyes and clothing.

Keep tightly closed. Protect from contamination.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Use only with adequate ventilation. Avoid breathing

vapours, mist or gas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep tightly closed in a dry, cool and well-ventilated place.

according to Regulation (EC) No. 1907/2006



## **Anderol 86 EP-2**

Version Revision Date: SDS Number: Date of last issue: 04.08.2017 05.10.2020 000000002624 Date of first issue: 19.11.2014 1.5

Further information on stor-

age conditions

Keep away from oxidizing agents.

age stability

Further information on stor- : Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) : Raw material for industry

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petrole- um), solvent- refined heavy par- affinic	64741-88-4	GV (mist and particles)	1 mg/m3	DK OEL
Residual oils (petroleum), solvent- refined	64742-01-4	GV (mist and particles)	1 mg/m3	DK OEL

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
Sulfonic acids, petro-	Workers	Inhalation	Long-term systemic	11.75 mg/m3
leum, calcium salts			effects	
	Workers	Dermal	Long-term systemic	3.33 mg/kg
			effects	
	Workers	Dermal	Long-term local ef-	1.03 mg/cm2
			fects	

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Sulfonic acids, petroleum, calcium salts	Fresh water	1 mg/l
	Marine water	1 mg/l
	Fresh water sediment	226000000 mg/kg
	Marine sediment	226000000 mg/kg
	Soil	271000000 mg/kg
	Sewage treatment plant	1000 mg/l

## 8.2 Exposure controls

## **Engineering measures**

Use with adequate ventilation.

according to Regulation (EC) No. 1907/2006

## LANXESS Energizing Chemistry

#### Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

Personal protective equipment

Eye protection : Safety goggles

Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves When han-

dling hot material, use heat resistant gloves.

Skin and body protection : Impervious clothing

Respiratory protection : No personal respiratory protective equipment normally re-

quired

In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : paste

Odour : mild, hydrocarbon-like

Odour Threshold : No data available

pH : No data available

: No data available

Boiling point/boiling range : No data available

Flash point :  $> 180 \, ^{\circ}\text{C}$ 

Method: open cup

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : No data available

Relative density : 0.95 - 1.05 (25 °C)

Density : 0.95 - 1.05 g/cm3 (25 °C)

Solubility(ies)

Water solubility : negligible

Solubility in other solvents : partly soluble

according to Regulation (EC) No. 1907/2006



## Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : not determined

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

9.2 Other information

Self-Accelerating decomposi: :

tion temperature (SADT)

Method: No information available.

Oxidizing potential : No information available.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

No decomposition if stored normally.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Conditions to avoid : Contamination

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

### 10.6 Hazardous decomposition products

Oxides of calcium Sulphur oxides Carbon oxides

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

**Product:** 

Acute inhalation toxicity : Remarks: Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006



## Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

#### **Components:**

## calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 Oral (Rat): 1,300 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 4,199 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

## Sulfonic acids, petroleum, calcium salts:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 4,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

#### Skin corrosion/irritation

#### **Product:**

Result : No skin irritation

Remarks : Information given is based on data obtained from similar sub-

stances.

### **Components:**

#### calcium dodecylbenzenesulphonate:

Species : Rabbit Exposure time : 4 h

Result : Skin irritation

Remarks : Information given is based on data obtained from similar sub-

stances.

#### Serious eye damage/eye irritation

## Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Information given is based on data obtained from similar sub-

stances.

#### **Components:**

#### calcium dodecylbenzenesulphonate:

Species : Rabbit

Result : Risk of serious damage to eyes.

Remarks : Information given is based on data obtained from similar sub-

stances.

according to Regulation (EC) No. 1907/2006

# **Energizing Chemistry**

#### Anderol 86 EP-2

Date of last issue: 04.08.2017 Version Revision Date: SDS Number: 000000002624 Date of first issue: 19.11.2014 1.5 05.10.2020

### Respiratory or skin sensitisation

**Product:** 

Result : Does not cause skin sensitisation.

Information given is based on data obtained from similar sub-Remarks

**Components:** 

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Probability or evidence of low to moderate skin sensitisation Result

rate in humans

Sulfonic acids, petroleum, calcium salts:

Result Probability or evidence of low to moderate skin sensitisation

rate in humans

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Result Probability or evidence of low to moderate skin sensitisation

rate in humans

Germ cell mutagenicity

**Product:** 

Germ cell mutagenicity- As- : Not classified due to lack of data.

sessment

Carcinogenicity

**Product:** 

Carcinogenicity - Assess-

ment

: Not classified due to lack of data.

Reproductive toxicity

**Product:** 

Reproductive toxicity - As-

sessment

: Not classified due to lack of data.

STOT - single exposure

**Product:** 

: Not classified due to lack of data. Assessment

STOT - repeated exposure

**Product:** 

: Not classified due to lack of data. Assessment

according to Regulation (EC) No. 1907/2006

## LANXESS Energizing Chemistry

#### Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

### **Aspiration toxicity**

#### **Product:**

No aspiration toxicity classification

#### **Further information**

**Product:** 

Remarks : No data is available on the product itself.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

Toxicity to fish : LC50 (Fish): Exposure time: 96 h

Remarks: No data available

#### **Components:**

#### calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 22 mg/l

Exposure time: 96 h
Test Type: static test
Analytical monitoring: no

Method: OECD Test Guideline 203

GLP: no

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.5 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: no

Remarks: Information given is based on data obtained from

similar substances.

#### Sulfonic acids, petroleum, calcium salts:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): >

10,000 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

according to Regulation (EC) No. 1907/2006



#### Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EbC50 (Green algae (Scenedesmus subspicatus)): > 100 mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: yes

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Result: No data available

#### **Components:**

## calcium dodecylbenzenesulphonate:

Biodegradability : Concentration: 10 mg/l

Result: Readily biodegradable.

Kinetic: 28 d: 73 %

Remarks: Information given is based on data obtained from

similar substances.

#### Sulfonic acids, petroleum, calcium salts:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not readily biodegradable.

Biodegradation: 8.6 % Exposure time: 28 d

GLP: yes

#### 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data available

#### **Components:**

#### calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Exposure time: 21 d

Bioconcentration factor (BCF): 104

GLP: no

Partition coefficient: n-

octanol/water

: Pow: 4.77 (25 °C)

Method: Calculated value

according to Regulation (EC) No. 1907/2006

## LANXESS Energizing Chemistry

#### Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

### 12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

#### 12.6 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

: No information on ecology is available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of as hazardous waste in compliance with local and

national regulations.

Dispose of wastes in an approved waste disposal facility.

## **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006

## LANXESS Energizing Chemistry

#### Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57).

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EC) No 850/2004 on persistent organic pol-

lutants

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

MAL-Code-Number : 5-6 (1993)

5-1 (1993)

#### The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

US.TSCA : On TSCA Inventory

### 15.2 Chemical safety assessment

No information available.

according to Regulation (EC) No. 1907/2006



#### Anderol 86 EP-2

Version Revision Date: SDS Number: Date of last issue: 04.08.2017 1.5 05.10.2020 000000002624 Date of first issue: 19.11.2014

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.

H413 : May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

DK OEL : Denmark. Occupational Exposure Limits

DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

according to Regulation (EC) No. 1907/2006



## Anderol 86 EP-2

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.5
 05.10.2020
 000000002624
 Date of first issue: 19.11.2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DK / EN