according to Regulation (EC) No. 1907/2006



ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ANDEROL 7460 FG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricant

stance/Mixture

Recommended restrictions

on use

Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

:

Company: <u>Manufacturer</u>

Anderol Specialty Lubricants Groot Egtenrayseweg 23

5928 PA Venlo Netherlands

Telephone: +31-77 396 0340

<u>Supplier</u>

LANXESS Solutions UK Ltd. Tenax Road, Trafford Park

Manchester United Kingdom M17 1WT

Customer Service: +44 161 875 3800

Prepared by Product Safety Department

(US) +1 866-430-2775

Further information for the safety data sheet: MSDSRe-

quest@lanxess.com

1.4 Emergency telephone number

Emergency telephone

number: +44 (0) 1235 239 670 (NCEC)

For additional emergency telephone numbers see section 16 of

the Safety Data Sheet.

according to Regulation (EC) No. 1907/2006



ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat-

H412: Harmful to aquatic life with long lasting ef-

egory 3 fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Additional Labelling

EUH208 Contains N-1-naphthylaniline. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N-1-naphthylaniline	90-30-2 201-983-0 01-2119488704-27- xxxx	Acute Tox. 4; H302 Skin Sens. 1B; H317 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0.25 - < 1
(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	110-25-8 203-749-3	Acute Tox. 4; H332 Skin Irrit. 2; H315	>= 0.25 - < 1

according to Regulation (EC) No. 1907/2006



ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

	01-2119488991-20- xxxx	Eye Dam. 1; H318 Aquatic Acute 1; H400	
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4	Aquatic Acute 1; H400	>= 0.5 - < 1
	01-2119555270-46- xxxx	Aquatic Chronic 1; H410	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

according to Regulation (EC) No. 1907/2006

Energizing Chemistry

ANDEROL 7460 FG

Date of last issue: 04.08.2017 Version Revision Date: SDS Number: 000000007195 Date of first issue: 30.10.2014 1.4 05.10.2020

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Burning produces noxious and toxic fumes.

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions Try to prevent the material from entering drains or water

courses.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Handle in accordance with good industrial hygiene and safety Hygiene measures

> practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

according to Regulation (EC) No. 1907/2006



ANDEROL 7460 FG

Version Revision Date: SDS Number: Date of last issue: 04.08.2017 05.10.2020 00000007195 Date of first issue: 30.10.2014 1.4

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated

place.

Further information on stor-

age stability

: No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) Raw material for industry

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,6-di-tert-butyl-p-	128-37-0	GV GV	10 mg/m3	DK OEL
cresol				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
N-1-naphthylaniline	Workers	Inhalation	Long-term systemic effects	0.18 mg/m3
	Workers	Inhalation	Acute systemic effects	44 mg/m3
	Workers	Dermal	Long-term systemic effects	0.05 mg/kg
	Workers	Dermal	Acute systemic effects	6.67 mg/kg
	General expo- sures	Inhalation	Long-term systemic effects	0.044 mg/m3
	General exposures	Inhalation	Acute systemic effects	33 mg/m3
	General expo- sures	Dermal	Long-term systemic effects	0.03 mg/kg
	General expo- sures	Dermal	Long-term systemic effects	3.33 mg/kg
	General expo- sures	Ingestion	Long-term systemic effects	0.03 mg/kg
	General expo- sures	Ingestion	Acute systemic effects	8 mg/kg
2,6-di-tert-butyl-p- cresol	Workers	Skin contact		0.5 mg/kg
	Workers	Inhalation		3.5 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
N-1-naphthylaniline	Fresh water	0.0002 mg/l
	Marine water	0.00002 mg/l

according to Regulation (EC) No. 1907/2006



ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

	Fresh water sediment	0.0344 mg/kg
	Marine sediment	0.00344 mg/kg
	Soil	0.0068 mg/kg
	STP	100 mg/l
2,6-di-tert-butyl-p-cresol	Fresh water	0.000199 mg/l
	Marine water	0.000019 mg/l
	Fresh water sediment	0.0996 mg/kg
	Marine sediment	0.00996 mg/kg
	Soil	0.04769 mg/kg

8.2 Exposure controls

Engineering measures

Effective exhaust ventilation system

Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves The selected

protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an ap-

proved filter.

Environmental exposure controls

Water :

No special precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : yellow

Odour : characteristic

Flash point : > 250 °C

Viscosity

Viscosity, kinematic : 485 mm2/s (40 °C)

9.2 Other information

according to Regulation (EC) No. 1907/2006



ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

Flammability (liquids) : No data available

Oxidizing potential : No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture

Contamination

10.5 Incompatible materials

Materials to avoid : Acids

Bases

Oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition : Carbon oxides

products Nitrogen oxides (NOx)

Oxides of phosphorus

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Remarks: Not classified due to lack of data.

Acute inhalation toxicity : Remarks: Not classified due to lack of data.

Acute dermal toxicity : Remarks: Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Acute oral toxicity : LD50 (Rat): 1,625 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg

according to Regulation (EC) No. 1907/2006

LANXESS Energizing Chemistry

ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

2,6-di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat, male and female): > 2,930 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Skin corrosion/irritation

Product:

Remarks : According to the classification criteria of the European Union,

the product is not considered as being a skin irritant.

Components:

N-1-naphthylaniline:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

2,6-di-tert-butyl-p-cresol:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : According to the classification criteria of the European Union,

the product is not considered as being an eye irritant.

Components:

N-1-naphthylaniline:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

2,6-di-tert-butyl-p-cresol:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Components:

N-1-naphthylaniline:

Test Type : Maximisation Test

Species : Guinea pig

according to Regulation (EC) No. 1907/2006

LANXESS Energizing Chemistry

ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

Result : Probability or evidence of low to moderate skin sensitisation

rate in humans

2,6-di-tert-butyl-p-cresol:

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Product:

Germ cell mutagenicity- As-

sessment

: Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Chinese Hamster Ovary (CHO)

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: in vivo assay

Species: Mouse (male)

Result: negative

Germ cell mutagenicity- As-

sessment

Animal testing did not show any mutagenic effects., Tests on

bacterial or mammalian cell cultures did not show mutagenic

effects.

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Chromosome aberration test in vitro

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: unscheduled DNA synthesis assay

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow

Method: Mutagenicity (micronucleus test)

according to Regulation (EC) No. 1907/2006

LANXESS Energizing Chemistry

ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

Result: negative

Test Type: in vivo assay Species: Rat (male) Cell type: Bone marrow Application Route: Oral

Method: Mutagenicity (in vivo mammalian bone-marrow cyto-

genetic test, chromosomal analysis)

Result: negative

Germ cell mutagenicity- As-

sessment

: Animal testing did not show any mutagenic effects.

Carcinogenicity

Product:

Carcinogenicity - Assess-

ment

: Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Product:

Reproductive toxicity - As-

sessment

: Not classified due to lack of data.

Components:

2,6-di-tert-butyl-p-cresol:

Reproductive toxicity - As-

sessment

: No toxicity to reproduction No effects on or via lactation

STOT - single exposure

Product:

Assessment : Not classified due to lack of data.

STOT - repeated exposure

Product:

Assessment : Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006

Energizing Chemistry

ANDEROL 7460 FG

Version SDS Number: Date of last issue: 04.08.2017 Revision Date: 000000007195 Date of first issue: 30.10.2014 1.4 05.10.2020

Components:

N-1-naphthylaniline:

: Oral Exposure routes

Target Organs : Liver, Kidney

Assessment : May cause damage to organs through prolonged or repeated

exposure.

2,6-di-tert-butyl-p-cresol:

Oral Exposure routes

Assessment The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

Product:

Remarks No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish Remarks: No data available

Components:

N-1-naphthylaniline:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.44 mg/l

> Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.68 mg/l

Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to microorganisms EC50 (Protozoa): 2 mg/l

Exposure time: 48 h

EC50 (Bacteria): > 10,000 mg/l

according to Regulation (EC) No. 1907/2006



ANDEROL 7460 FG

Version Revision Date: Date of last issue: 04.08.2017 SDS Number: 000000007195 Date of first issue: 30.10.2014 1.4 05.10.2020

Exposure time: 3 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.02 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Analytical monitoring: yes

M-Factor (Chronic aquatic

toxicity)

: 1

2,6-di-tert-butyl-p-cresol:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.07 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Analytical monitoring: yes

GLP: yes

12.2 Persistence and degradability

Product:

Biodegradability Result: No data available

Components:

N-1-naphthylaniline:

Biodegradability : Test Type: aerobic

> Inoculum: activated sludge Concentration: 100 mg/l

Result: According to the results of tests of biodegradability this

product is not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301

GLP: yes

2,6-di-tert-butyl-p-cresol:

Biodegradability Test Type: aerobic

> Inoculum: activated sludge Concentration: 50 mg/l

Result: According to the results of tests of biodegradability this

product is not readily biodegradable.

Biodegradation: 4.5 % Exposure time: 28 d

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

according to Regulation (EC) No. 1907/2006

LANXESS Energizing Chemistry

ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

Components:

N-1-naphthylaniline:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 56 d Temperature: 25 °C Concentration: 0.1 mg/l

Bioconcentration factor (BCF): 427 - 2,730

Partition coefficient: n-

octanol/water

log Pow: 4.28

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 56 d Temperature: 25 °C Concentration: 0.05 mg/l

Bioconcentration factor (BCF): 230 - 2,500

Partition coefficient: n-

octanol/water

log Pow: 5.1 GLP: yes

log Pow: 4.2

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

according to Regulation (EC) No. 1907/2006

LANXESS Energizing Chemistry

ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EC) No 850/2004 on persistent organic pol-

lutants

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

according to Regulation (EC) No. 1907/2006



ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : Not in compliance with the inventory

US.TSCA : All substances listed as active on the TSCA inventory

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

H332 : Harmful if inhaled.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

DK OEL : Denmark. Occupational Exposure Limits

DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regula-

according to Regulation (EC) No. 1907/2006



ANDEROL 7460 FG

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.08.2017

 1.4
 05.10.2020
 000000007195
 Date of first issue: 30.10.2014

tion; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture: Classification procedure:

Aquatic Chronic 3 H412 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DK / EN