

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version	Revision Date:	SDS Number:	Date of last issue: 15.08.2022
1.8	22.08.2022	000000007177	Date of first issue: 22.11.2011

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ANDEROL FG XL 46

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricant

Recommended restrictions  
on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company: Supplier  
LANXESS Deutschland GmbH  
Production, Technology, Safety & Environment  
Leverkusen  
Germany  
51369

Manufacturer  
Anderol Specialty Lubricants  
Groot Egtenrayseweg 23  
5928 PA Venlo  
Netherlands  
Telephone : +31-77 396 0340

Prepared by : Production, Technology, Safety & Environment  
+4922188852288

Further information for the safety data sheet :  
infosds@lanxess.com

#### 1.4 Emergency telephone number

+44 20 3885 0382 (CCN1001748)  
Poison Information Centre telephone number +45 8212 1212

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3      H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements      :      H412      Harmful to aquatic life with long lasting effects.

Precautionary statements      :      **Prevention:**  
P273      Avoid release to the environment.

##### **Disposal:**

P501      Dispose of contents/ container to an approved waste disposal plant.

##### Additional Labelling

EUH208      Contains N-1-naphthylaniline. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119555270-46- xxxx	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2.5

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1 270-128-1 01-2119491299-23-0002	Repr. 2; H361f	$\geq 0.1 - < 1$
N-1-naphthylaniline	90-30-2 201-983-0 01-2119488704-27-xxxx	Acute Tox. 4; H302 Skin Sens. 1B; H317 STOT RE 2; H373 (Blood, Kidney) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	$\geq 0.25 - < 1$

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Do not leave the victim unattended.  
The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version	Revision Date:	SDS Number:	Date of last issue: 15.08.2022
1.8	22.08.2022	000000007177	Date of first issue: 22.11.2011

---

Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Water mist  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.  
Material can create slippery conditions.

### 6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of work-day.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Raw material for industry

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,6-di-tert-butyl-p-cresol	128-37-0	GV	10 mg/m <sup>3</sup>	DK OEL

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,6-di-tert-butyl-p-cresol	Workers	Skin contact		0.5 mg/kg
	Workers	Inhalation		3.5 mg/m <sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version  
1.8

Revision Date:  
22.08.2022

SDS Number:  
000000007177

Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Workers	Dermal	Long-term systemic effects	0.62 mg/kg
	Workers	Inhalation	Long-term systemic effects, Systemic effects	4.37 mg/m <sup>3</sup>
	General exposures	Skin contact	Chronic effects, Systemic effects	0.31 mg/kg
	General exposures	Inhalation	Chronic effects, Systemic effects	1.09 mg/m <sup>3</sup>
	General exposures	Ingestion	Chronic effects, Systemic effects	0.31 mg/kg
N-1-naphthylaniline	Workers	Inhalation	Long-term systemic effects	0.18 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	44 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0.05 mg/kg
	Workers	Dermal	Acute systemic effects	6.67 mg/kg
	General exposures	Inhalation	Long-term systemic effects	0.044 mg/m <sup>3</sup>
	General exposures	Inhalation	Acute systemic effects	33 mg/m <sup>3</sup>
	General exposures	Dermal	Long-term systemic effects	0.03 mg/kg
	General exposures	Dermal	Long-term systemic effects	3.33 mg/kg
	General exposures	Ingestion	Long-term systemic effects	0.03 mg/kg
	General exposures	Ingestion	Acute systemic effects	8 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,6-di-tert-butyl-p-cresol	Fresh water	0.000199 mg/l
	Marine water	0.000019 mg/l
	Fresh water sediment	0.0996 mg/kg
	Marine sediment	0.00996 mg/kg
	Soil	0.04769 mg/kg
	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Fresh water
Marine water		0.0051 mg/l
Fresh water sediment		9320 mg/kg
Marine sediment		932 mg/kg
Soil		1860 mg/kg
STP		1 mg/l
N-1-naphthylaniline	Fresh water	0.0002 mg/l
	Marine water	0.00002 mg/l
	Fresh water sediment	0.0344 mg/kg
	Marine sediment	0.00344 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

	Soil	0.0068 mg/kg
	STP	100 mg/l

### 8.2 Exposure controls

#### Engineering measures

Effective exhaust ventilation system

Ensure that eyewash stations and safety showers are close to the workstation location.

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Before removing gloves clean them with soap and water. Request information on glove permeation properties from the glove supplier. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : not required under normal use  
In the case of vapour formation use a respirator with an approved filter.  
In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : clear

Odour : characteristic

Odour Threshold : No data available

: Not applicable

: No data available

Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version	Revision Date:	SDS Number:	Date of last issue: 15.08.2022
1.8	22.08.2022	000000007177	Date of first issue: 22.11.2011

---

Lower explosion limit / Lower flammability limit : No data available

Flash point : 235 °C

Auto-ignition temperature : No data available

Self-Accelerating decomposition temperature (SADT) : GLP: No information available.

pH : No data available

Viscosity

    Viscosity, dynamic : 6.5 - 50.6 mPa.s (40 - 100 °C)  
    Method: ASTM D 445

    Viscosity, kinematic : 45.7 mm<sup>2</sup>/s (40 °C)

Solubility(ies)

    Water solubility : No data available

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Relative density : No data available

Density : 0.839 g/cm<sup>3</sup>

Relative vapour density : No data available

### 9.2 Other information

Evaporation rate : No data available

Oxidizing potential : No information available.

Molecular weight : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if used as directed.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version	Revision Date:	SDS Number:	Date of last issue: 15.08.2022
1.8	22.08.2022	000000007177	Date of first issue: 22.11.2011

---

### 10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture  
Contamination

### 10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products : Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure :

Inhalation  
Eye contact  
Skin contact  
Skin Absorption

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: Not classified due to lack of data.

Acute inhalation toxicity : Remarks: Not classified due to lack of data.

Acute dermal toxicity : Remarks: Not classified due to lack of data.

##### Components:

##### **2,6-di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat, male and female): > 2,930 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

---

### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: No mortality observed at this dose.

### **N-1-naphthylaniline:**

Acute oral toxicity : LD50 (Rat): 1,625 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit, male): > 5,000 mg/kg

### **Skin corrosion/irritation**

#### **Product:**

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

#### **Components:**

##### **2,6-di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No skin irritation

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Method : OECD-Guideline No. 404  
Result : Mild skin irritation

##### **N-1-naphthylaniline:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : no

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

#### **Components:**

##### **2,6-di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

---

### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

### **N-1-naphthylaniline:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : no

### **Respiratory or skin sensitisation**

#### **Components:**

#### **2,6-di-tert-butyl-p-cresol:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.

### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406

### **N-1-naphthylaniline:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Probability or evidence of low to moderate skin sensitisation rate in humans  
GLP : no

### **Germ cell mutagenicity**

#### **Product:**

Germ cell mutagenicity- Assessment : Not classified due to lack of data.

#### **Components:**

#### **2,6-di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative  
  
Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

---

Test Type: unscheduled DNA synthesis assay  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male and female)  
Cell type: Bone marrow  
Method: Mutagenicity (micronucleus test)  
Result: negative

Test Type: in vivo assay  
Species: Rat (male)  
Cell type: Bone marrow  
Application Route: Oral  
Method: Mutagenicity (in vivo mammalian bone-marrow cyto-genetic test, chromosomal analysis)  
Result: negative

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

### **N-1-naphthylaniline:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: No information available.

Test Type: Chinese Hamster Ovary (CHO)  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: No information available.

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Mouse (male)  
Application Route: Intraperitoneal  
Method: OECD Test Guideline 478  
Result: negative  
GLP: No information available.

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects., Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

---

### Carcinogenicity

#### Product:

Carcinogenicity - Assessment : Not classified due to lack of data.

#### Components:

##### **N-1-naphthylaniline:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### Reproductive toxicity

#### Product:

Reproductive toxicity - Assessment : Not classified due to lack of data.

#### Components:

##### **2,6-di-tert-butyl-p-cresol:**

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Oral  
Dose: 25-75-225 milligram per kilogram  
General Toxicity - Parent: NOAEL: 25 mg/kg bw/day  
Fertility: NOEL: 225 mg/kg bw/day  
Method: OECD Test Guideline 422  
Result: Animal testing did not show any effects on fertility.  
GLP: yes

Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Strain: wistar  
Application Route: Ingestion  
Dose: 0-200-600-1800 parts per million  
Method: OECD Test Guideline 443  
Result: Some evidence of adverse effects on development, based on animal experiments.  
GLP: No information available.

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit, female  
Application Route: Oral  
Dose: 10-30-100 milligram per kilogram  
General Toxicity Maternal: NOAEL: 30 mg/kg bw/day

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

---

Teratogenicity: NOAEL: 100 mg/kg bw/day  
Developmental Toxicity: NOEL: 30 mg/kg bw/day  
Method: OECD Test Guideline 414  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses  
GLP: yes

Test Type: Embryo-foetal development  
Species: Rat, female  
Application Route: Oral  
Dose: 50-150-500 milligram per kilogram  
General Toxicity Maternal: NOAEL: 150 mg/kg bw/day  
Teratogenicity: NOAEL: 500 mg/kg bw/day  
Developmental Toxicity: NOAEL: 500 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: negative  
GLP: yes

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### **N-1-naphthylaniline:**

Effects on foetal development : Test Type: Pre-natal  
Species: Rat, female  
Application Route: Oral  
Dose: 15 - 50 - 150 milligram per kilogram  
General Toxicity Maternal: NOAEL: 50 mg/kg bw/day  
Developmental Toxicity: NOAEL: 150 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes

### **STOT - single exposure**

#### **Product:**

Assessment : Not classified due to lack of data.

### **STOT - repeated exposure**

#### **Product:**

Assessment : Not classified due to lack of data.

### **Components:**

#### **2,6-di-tert-butyl-p-cresol:**

Exposure routes : Oral  
Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **N-1-naphthylaniline:**

Exposure routes : Oral  
Target Organs : Blood, Kidney

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version	Revision Date:	SDS Number:	Date of last issue: 15.08.2022
1.8	22.08.2022	000000007177	Date of first issue: 22.11.2011

---

Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

#### **N-1-naphthylaniline:**

Species	: Rat, male and female
LOAEL	: 5 mg/kg
Application Route	: Oral
Exposure time	: 90 h
Number of exposures	: dail
Dose	: 5 - 25 - 50 mg/kg bw/day
Method	: OECD Test Guideline 408
GLP	: yes
Remarks	: Subchronic toxicity

### Aspiration toxicity

#### Product:

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

---

### Components:

#### **2,6-di-tert-butyl-p-cresol:**

- Toxicity to fish : LC0 (Danio rerio (zebra fish)): > 0.57 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: Tested according to Annex V of Directive 67/548/EEC.  
GLP: yes  
Remarks: Aquatic toxicity is unlikely due to low solubility.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l  
Exposure time: 48 h  
Method: Tested according to Annex V of Directive 67/548/EEC.  
Remarks: Aquatic toxicity is unlikely due to low solubility.
- Toxicity to algae/aquatic plants : ErC50 (Green algae (Scenedesmus subspicatus)): > 0.4 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.  
GLP: yes  
Remarks: Aquatic toxicity is unlikely due to low solubility.
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.07 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Analytical monitoring: yes  
GLP: yes
- M-Factor (Chronic aquatic toxicity) : 1

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: no  
Remarks: Fresh water
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

---

Remarks: Fresh water

Toxicity to algae/aquatic plants : EbC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 201  
GLP: no  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL10: 1.69 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Analytical monitoring: no  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: Fresh water

### Ecotoxicology Assessment

Chronic aquatic toxicity : No toxicity at the limit of solubility, This product has no known ecotoxicological effects.

### N-1-naphthylaniline:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.44 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.68 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Analytical monitoring: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (Protozoa): 2 mg/l  
Exposure time: 48 h  
  
EC50 (Bacteria): > 10,000 mg/l  
Exposure time: 3 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.02 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Analytical monitoring: yes

M-Factor (Chronic aquatic toxicity) : 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version 1.8      Revision Date: 22.08.2022      SDS Number: 000000007177      Date of last issue: 15.08.2022  
Date of first issue: 22.11.2011

---

### 12.2 Persistence and degradability

**Product:**

Biodegradability : Result: No data available

**Components:**

**2,6-di-tert-butyl-p-cresol:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Concentration: 50 mg/l  
Result: Not rapidly biodegradable  
Biodegradation: 4.5 %  
Exposure time: 28 d

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Biodegradability : Result: According to the results of tests of biodegradability this product is not readily biodegradable.  
Method: CO2 Evolution Test

**N-1-naphthylaniline:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Concentration: 100 mg/l  
Result: According to the results of tests of biodegradability this product is not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301  
GLP: yes

### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: No data available

**Components:**

**2,6-di-tert-butyl-p-cresol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Exposure time: 56 d  
Temperature: 25 °C  
Concentration: 0.05 mg/l  
Bioconcentration factor (BCF): 230 - 2,500

Partition coefficient: n-octanol/water : log Pow: 5.1  
GLP: yes

log Pow: 4.2

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version	Revision Date:	SDS Number:	Date of last issue: 15.08.2022
1.8	22.08.2022	000000007177	Date of first issue: 22.11.2011

---

### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Partition coefficient: n-octanol/water : log Pow: > 7

### **N-1-naphthylaniline:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Exposure time: 56 d  
Temperature: 25 °C  
Concentration: 0.1 mg/l  
Bioconcentration factor (BCF): 427 - 2,730

Partition coefficient: n-octanol/water : log Pow: 4.28

## 12.4 Mobility in soil

### **Product:**

Mobility : Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### **Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version	Revision Date:	SDS Number:	Date of last issue: 15.08.2022
1.8	22.08.2022	000000007177	Date of first issue: 22.11.2011

---

Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.  
Dispose of wastes in an approved waste disposal facility.  
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version	Revision Date:	SDS Number:	Date of last issue: 15.08.2022
1.8	22.08.2022	000000007177	Date of first issue: 22.11.2011

---

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

US.TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

TECI : Not in compliance with the inventory

### 15.2 Chemical safety assessment

No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version	Revision Date:	SDS Number:	Date of last issue: 15.08.2022
1.8	22.08.2022	000000007177	Date of first issue: 22.11.2011

### SECTION 16: Other information

#### Full text of H-Statements

H302 : Harmful if swallowed.  
H317 : May cause an allergic skin reaction.  
H361f : Suspected of damaging fertility.  
H373 : May cause damage to organs through prolonged or repeated exposure if swallowed.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Repr. : Reproductive toxicity  
Skin Sens. : Skin sensitisation  
STOT RE : Specific target organ toxicity - repeated exposure  
DK OEL : Denmark. Occupational Exposure Limits  
DK OEL / GV : Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## ANDEROL FG XL 46

Version	Revision Date:	SDS Number:	Date of last issue: 15.08.2022
1.8	22.08.2022	000000007177	Date of first issue: 22.11.2011

---

### Further information

#### Classification of the mixture:

Aquatic Chronic 3

H412

#### Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DK / EN