

Product name:	Synthgrease Medium
Supersedes date:	2020-08-06
Product No.:	61030

Page:	1/12
Last revised date:	2023-07-06
SDS-ID:	EU-EN/4.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1	.1.	Product	identifier

Product name: Synthgrease Medium

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Lubricating grease.

1.3. Details of the supplier of the safety data sheet

<u>Supplier:</u>	Uno-X Smøreolie A/S Buddingevej 195 DK-2860 Søborg Tel:+45 7011 5678 teknik@unox.dk https://lube.unox.dk/
<u>Supplier:</u>	Uno-X Smøreolje AS Gladengveien 2 NO-0661 Oslo Tel:+47 04210 / 95059618 olje@unox.no https://olje.unox.no
Responsible for safety data sheet authoring:	teknik@unox.dk

1.4. Emergency telephone number

Emergency telephone:

National Poison Control Centres are available in Member Countries.

Product name:	Synthgrease Medium	Page:	2/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

SECTION 2: HAZARDS IDENTIFICATION		
2.1. Classification of the subst	tance or mixture	
<u>CLP:</u>	The product is not classified. The product has been tested and found not sensitising by skin contact.	
2.2. Label elements	The substance/mixture does not meet the criteria for classification and labelling.	
	Contains Bismuth octoate. May produce an allergic reaction.	
	Safety data sheet available on request.	
2.3. Other hazards		
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPvB substances. The product does not contain any substance identified as having endocrine disrupting properties.	
<u>Other:</u>	Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. The harmful effects may increase in used grease. Greases are generally hazardous to the environment.	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

CLP:						
<u>%:</u>	CAS-No.:	<u>EC No.:</u>	<u>REACH Reg.</u> <u>No:</u>	Chemical name:	Hazard classification:	<u>Notes:</u>
2,5-5	38900-29-7	254-184-4	01-2120119814- 57	Dilithium azelate	Acute Tox. 4;H302	
2,5-5	85736-59-0	288-470-5	01-2120769500- 56-	Bismuth octoate	Eye Irrit. 2;H319 Skin Sens. 1;H317	
<1	68411-46-1	270-128-1	01-2119491299- 23	Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene	Repr. 2;H361f Aquatic Chronic 3;H412	

Product name:	Synthgrease Medium	Page:	3/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

<u>Chemical name:</u>	<u>SCL</u>	<u>M (ac)</u>	<u>M (chr)</u>	<u>ATE(o)</u> (mg/kg bw)	<u>ATE(d)</u> (mg/kg bw)		<u>ATE(i)</u> (gas, ppmV)	<u>ATE(i)</u> (vapou r, mg/L)
Dilithium azelate		-		-	-	-		· -
Bismuth octoate		-		-	-	-		
Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene				5000	2000	-		
References:	The full text for all hazar	d stateme	ents is di	splayed i	n sectior	n 16.		

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures			
Inhalation:	Less likely route of exposure as the product does not contain volatile substances. If symptoms occur by inhalation of fumes, mists or vapours from this product: Move into fresh air and keep at rest. Get medical attention if any discomfort continues.		
<u>Skin contact:</u>	Wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and bring along these instructions.		
<u>Eye contact:</u>	Rinse with water. Contact physician if discomfort continues. Make sure to remove any contact lenses from the eyes before rinsing.		
Ingestion:	Rinse mouth and drink plenty of water. Do not induce vomiting. Contact physician if larger quantity has been consumed.		
4.2. Most important sympton	ns and effects, both acute and delayed		
Symptoms/effects:	In case of rashes, wounds or other skin disorders: Seek medical attention and bring along these instructions. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. May cause discomfort if swallowed.		
4.2. Indication of any immed	iste medical ettention and energial tractment needed		

4.3. Indication of any immediate medical attention and special treatment needed

<u>Medical attention/treatments:</u> Treat symptomatically.

Product name:	Synthgrease Medium	Page:	4/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media:	Extinguish with foam, carbon dioxide or dry powder.
	Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Move container from fire area if it can be done without risk. Use water to keep fire exposed containers cool and disperse vapours.

<u>Protective equipment for fire-</u> Use air-supplied respirator during fighting of large fires (e.g. stockpile). <u>fighters:</u>

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

 Personal precautions:
 Avoid contact with skin and eyes.

 Provide adequate ventilation.
 Provide adequate ventilation.

 In case of spills, beware of slippery floors and surfaces.
 Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

<u>Environmental</u> Do not discharge into drains, water courses or onto the ground. <u>precautions:</u>

6.3. Methods and material for containment and cleaning up

Stop leak if safe to do so.

<u>Methods for cleaning up:</u> Dam and absorb spillages with sand, earth or other non-combustible material. Clean contaminated area with oil-removing material.

6.4. Reference to other sections

References:For personal protection, see section 8.For waste disposal, see section 13.

Product name:	Synthgrease Medium	Page:	5/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe hand	lling	
Safe handling advice:	Provide good ventilation. Observe good chemical hygiene practices. Avoid prolonged and repeated contact with grease, particularly used grease. Always remove grease with soap and water or skin cleaning agent, never use organic solvents.	
Technical measures:	Work practice should minimise contact.	
Technical precautions:	When working with heated grease, mechanical ventilation may be required.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures for safe storage:	No special precautions.	
Storage conditions:	Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame.	

Keep at a temperature not exceeding 45°C.

Not relevant.

7.3. Specific end use(s)

<u>Specific use(s):</u>

Product name:	Synthgrease Medium	Page:	6/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

EU: No occupational exposure limit assigned. Please note that there may be national occupational exposure limits.

8.2. Exposure controls

Engineering measures:	Provide adequate ventilation. The risk of inhalation of vapours and spray mist must be minimised as much as possible. When working with heated grease, mechanical ventilation may be required. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.
Personal protection:	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Respiratory equipment:	In case of inadequate ventilation use suitable respirator. Use respiratory equipment with particle filter, type P2.
Hand protection:	For prolonged or repeated skin contact use suitable protective gloves. Nitrile gloves are recommended. Thickness:≥ 0,38 mm. Breakthrough time: > 480 min. Other types of gloves can be recommended by the glove supplier.
Eye protection:	Risk of contact: Wear goggles/face shield.
Skin protection:	Wear apron or protective clothing in case of contact.
Hygiene measures:	Wash hands after handling. Change contaminated clothing.
Environmental Exposure Controls:	Not available.

Product name:	Synthgrease Medium	Page:	7/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:	Grease. / Gel.
Form:	semi-liquid
<u>Colour:</u>	Beige.
<u>Odour:</u>	Not available.
Odour threshold:	Not available.
<u>pH:</u>	Not relevant.
Melting point / freezing point:	Not available.
Boiling point:	Not available.
Flash point:	> 150 °C
Evaporation rate:	Not available.
Explosion limits:	Not available.
Vapour pressure:	Not available.
Vapour density:	Not available.
Relative density:	< 1000 kg/m³ (25°C)
Solubility:	Insoluble in water
Partition coefficient (n- octanol/water):	Not available.
<u>Auto-ignition</u> temperature (°C):	Not available.
Decomposition temperature (°C):	Not available.
<u>Viscosity:</u>	> 20.5 mm²/s (40 °C)
Explosive properties:	None under normal conditions.
Oxidising properties:	Not available.
9.2. Other information	
Other data:	None known.

Product name:	Synthgrease Medium	Page:	8/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

SECTION 10: STABILITY AND REACTIVITY <u>10.1. Reactivity</u>

<u>Reactivity:</u> Stable under normal temperature conditions and recommended use.

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: Heating.

10.5. Incompatible materials

Incompatible materials: Strong oxidising agents.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> None in particular. products:

Product name:	Synthgrease Medium	Page:	9/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

The harmful effects may increase in used grease.

The harmful effects may increase in used grease.		
Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.	
Acute Toxicity (Dermal):	Based on available data, the classification criteria are not met.	
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.	
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.	
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation:	OECD 429 - Local Lymph Node Assay (LLNA), Oral, Mouse: Test has determined that the product is not sensitising by skin contact.	
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.	
Carcinogenicity:	Based on available data, the classification criteria are not met.	
Reproductive Toxicity:	Based on available data, the classification criteria are not met.	
STOT - Single exposure:	Based on available data, the classification criteria are not met.	
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.	
Aspiration hazard:	Based on available data, the classification criteria are not met.	
Inhalation:	Not relevant at normal room temperatures. When heated, irritating vapours may be formed. Symptoms may include headache, nausea and difficulty in breathing.	
Skin contact:	Degreasing. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping.	
Eye contact:	Direct contact may irritate.	
Ingestion:	May irritate and cause malaise.	
Specific effects:	The product liberates a very small amount of a sensitising substance which may provoke an allergic reaction among sensitive individuals.	
Toxicological data:	Calculated, based on substances in the product. ATE (Oral): 3234,10 mg/kg ATE (Dermal): 2143,20 mg/kg	
	Toxicological information on ingredients. Dilithium azelate: LD50, Oral: > 300 mg/kg LD50, Dermal: > 2000 mg/kg	
	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: LD50 (oral, rat): >5000 mg/kg LD50 (dermal rat) > 2 g/kg.	

Product name:	Synthgrease Medium	Page:	10/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

11.2. Information on other hazards

Endocrine disrupting	The product does not contain any substance identified as having endocrine
properties:	disrupting properties.

SECTION 12: ECOLOGICAL INFORMATION

<u>12.1. Toxicity</u>

Ecotoxicity:Greases are generally hazardous to the environment.There are no data on the ecotoxicity of this product.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: LC50 (Danio rerio, 96 hours): >100 mg/l

readily biodegradable.

12.2. Persistence and degradability

Degradability:	The product is not
bogradability.	

12.3. Bioaccumulative potential

Bioaccumulative potential: Not bioaccumulable.

12.4. Mobility in soil

Mobility: The product adsorbs to soil particles.

12.5. Results of PBT and vPvB assessment

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disruptingThe product does not contain any substance identified as having endocrineproperties:disrupting properties.

12.7. Other adverse effects

Other adverse effects:	The product is non-volatile.
	The product is insoluble in water and will spread on the water surface. An oil film
may cause	may cause physical damage to organisms and disturb the transportation of
	oxygen in the intermediate zone between air/water or water/air.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

Waste from residues:	EWC-code: 13 08 99
Contaminated packaging:	EWC-code: 15 01 10
Empty packaging:	The packaging should be collected for reuse.

Product name:	Synthgrease Medium	Page:	11/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

14.1. UN number

<u>UN-No:</u>	-	
14.2. UN proper shipping nam	<u>ne</u>	
Proper Shipping Name:	-	
14.3. Transport hazard class(es)		
<u>Class:</u>	-	
14.4. Packing group		
<u>PG:</u>	-	
14.5. Environmental hazards		
Marine pollutant:	-	
Environmentally Hazardous substance:	-	
14.6. Special precautions for	user	
Special precautions:	None known.	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk:	This product is not intended for transport in bulk.	

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulation:	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work, with amendments. Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives, with amendments. 2014/955/EC: Commission Decision of 18 December 2014 amending Decision 2000/532/EC as regards the list of wastes. 	

15.2. Chemical Safety Assessment

CSA status:

No chemical safety assessment has been carried out.

Product name:	Synthgrease Medium	Page:	12/12
Supersedes date:	2020-08-06	Last revised date:	2023-07-06
Product No.:	61030	SDS-ID:	EU-EN/4.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

The following sections contain revisions or new statements: 1, 2, 3, 6, 9, 11, 12, 16.

Abbreviations and acronyms

used in the safety data sheet:	 ATE(d) = Acute Toxicity Estimate, dermal. ATE(o) = Acute Toxicity Estimate, oral. CSA = Chemical Safety Assessment. EWC = European Waste Catalogue. LC50 = Lethal Concentration 50%. LD50 = Lethal Dose 50%. PBT = Persistent, Bioaccumulative and Toxic. vPvB = very Persistent and very Bioaccumulative.
Additional information:	Classification according to Regulation (EC) No. 1272/2008: Physical Hazards: Calculation method. Health Hazards: On basis of test data.
Wording of H-statements:	
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361f	CLP only - Suspected of damaging fertility.
H412	Harmful to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.