

SAFETY DATA SHEET

SIPMED 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name SIPMED 15

Product no.

H015D

REACH registration number 01-2119487078-27-XXXX

Other means of identification EC No.: 232-455-8 CAS No.: 8042-47-5

Unique formula identifier (UFI)

M7CM-Q1FC-X8E7-WCDP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Manufacture of substance - Industrial, Use in metal working fluids/rolling oils - Industrial, Use in metal working fluids/rolling oils - Professional, Use in binder and release agents - Industrial, Use in binder and release agents - Professional, Use in agrochemicals - Professional, Use in agrochemicals - Consumer, Use in rubber production and processing - Industrial, Use in polymer processing - Industrial, Use as an intermediate - Industrial, Use in lubricants - Industrial, Use in lubricants (high release) - Professional, Use in lubricants (Low release) - Professional, Use in lubricants (high release) - Professional, Use in lubricants (Low release) - Professional, Use in lubricants (high release) - Consumer, Use in lubricants (Low release) - Consumer , Use in cleaning agents - Industrial, Use in laboratories - Professional, Use in water treatment agents - Industrial, Use in laboratories - Professional, Use in water treatment agents - Industrial, Use in functional fluids - Professional, Distribution of substance - Industrial, Use in functional fluids - Industrial, Use in functional fluids - Professional, Other Consumer Uses - Consumer, Formulation and (re)packing of substances and mixtures - Industrial, Use in coatings - Professional, Use in laboratories - Industrial, Use in coatings - Professional, Use in coatings - Consumer , Use in laboratories - Industrial, Use in coating agents - Consumer Uses - Consumer, Industrial, Use in coatings - Consumer (Ise in Consumer), Use in Coatings - Industrial, Use in coatings - Consumer

Restricted to professional users.

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

SIP Oils and Fluids Europe BV Lierseteenweg 400 2800 Mechelen Belaium T: +44 207 7170100 https://sip.com/ E-mail Quality@sip.com Revision 30/08/2023 SDS Version 1.0 1.4. Emergency telephone number The National Poisons Information Centre (NPIC) Public: +353 (0) 1 809 2166 (7 days a week, 8am- 10pm) Healthcare professionals: +353 (0) 1 809 2566 (24 h service) See also section 4 "First aid measures"



SECTION 2: Hazards identification

```
Classified according to Regulation (EC) No. 1272/2008 (CLP).
2.1. Classification of the substance or mixture
  Asp. Tox. 1; H304, May be fatal if swallowed and enters airways.
2.2. Label elements
  Hazard pictogram(s)
  Signal word
     Danger
  Hazard statement(s)
     May be fatal if swallowed and enters airways. (H304)
  Precautionary statement(s)
     General
     Prevention
     Response
       IF SWALLOWED: Immediately call a POISON CENTER/doctor. (P301+P310)
       Do NOT induce vomiting. (P331)
     Storage
     Disposal
        Dispose of contents/container in accordance with local regulation (P501)
  Hazardous substances
     White mineral oil (petroleum)
  Additional labelling
     UFI: M7CM-Q1FC-X8E7-WCDP
2.3. Other hazards
  Additional warnings
     This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT
     and/or vPvB.
     This product does not contain any substances considered to be endocrine disruptors in accordance with the
     criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
```

SECTION 3: Composition/information on ingredients

3.1. Substances

Product/substance	Identifiers	% w/w	Classification	Note
White mineral oil (petroleum)	CAS No.: 8042-47-5 EC No.: 232-455-8 REACH: 01-2119487078-27-XXXX Index No.:	95-100%	Asp. Tox. 1, H304	

3.2. Mixtures

Not applicable. This product is a substance.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: First aid measures



4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.

Eve contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should therefore be kept under medical attention for at least 48 hours.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that can cause chemical pneumonia if swallowed. Symptoms of chemical pneumonia may appear after several hours.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the National Poisons Information Centre (NPIC) on +353 (0) 1 809 256 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection. 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

No specific requirements Incompatible materials

Strong oxidizing agents

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the "List of Chemical Agents and Occupational Exposure Limit Values" with an occupational exposure limit.

DNEL

White mineral oil (petroleum)

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	92 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	220 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	35 mg/m ³
Long term – Systemic effects - Workers	Inhalation	160 mg/m³
Long term – Systemic effects - General population	Oral	40 mg/kg bw/day

PNEC

No data available.

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate			



Туре	Class	Colour	Standards	
ventilation.				
Skin protection				
Recommended	Type/Category	Standard	S	
Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.	-	-		
Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile/Neoprene	1,9	> 480	EN374-2, EN374-3, EN388	nut
Eye protection				
Туре	Standards			
Safety glasses	EN166			
Liquid Colour Clear and bright Odour / Odour thresho Odourless pH Not applicable	ld			
Density (g/cm³) 0.856 (15 °C) Kinematic viscosity				
15.5 mm²/s (40 °C) Particle characteristics				
Not applicable				
ase changes Melting point/Freezing No data available	point (°C)			
Softening point/range (Does not apply to lic				
Boiling point (°C) No data available				
Vapour pressure No data available Relative vapour density	,			
No data available				
Decomposition temper No data available	ature (°C)			
ita on fire and explosion	n hazards			

Flash point (°C) 194



Flammability (°C) No data available Auto-ignition temperature (°C) No data available Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product. Solubility Solubility in water Insoluble n-octanol/water coefficient No data available Solubility in fat (g/L) Not applicable 9.2. Other information Evaporation rate (n-butylacetate = 100) No data available Other physical and chemical parameters No data available. Oxidizing properties Not applicable
SECTION 10: Stability and reactivity
 10.1. Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions None known. 10.4. Conditions to avoid None known. 10.5. Incompatible materials Strong oxidizing agents 10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1.
SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

A

Acute toxicity		
Product/substance Species: Route of exposure:	White mineral oil (petroleum) Rat Oral	
Test: Result:	LD50 >5000 mg/kg	
Product/substance Species:	White mineral oil (petroleum) Rabbit	
Route of exposure:	Dermal	
Test:	LD50	
Result:	>2000 mg/kg	
Product/substance	White mineral oil (petroleum)	
Species:	Rat	
Route of exposure:	Inhalation	
Test:	LC50 (4 hours)	
Result:	>5000 mg/kg	

Skin corrosion/irritation

Based on available data, the classification criteria are not met.



Serious eye damage/irritation Based on available data, the classification criteria are not met. **Respiratory sensitisation** Based on available data, the classification criteria are not met. Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. **Reproductive toxicity** Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard May be fatal if swallowed and enters airways. 11.2. Information on other hazards Long term effects None known. Endocrine disrupting properties Not applicable. Other information None known.

SECTION 12: Ecological information

12.1. Toxicity

12.1. Toxicity Product/substance Species: Duration: Test: Result:	White mineral oil (petroleum) Fish 96 hours LC50 >100 mg/L	
Product/substance Species: Duration: Test: Result:	White mineral oil (petroleum) Daphnia 48 hours EC50 >100 mg/L	
Product/substance Species: Duration: Test: Result:	White mineral oil (petroleum) Algae 72 hours NOEC ≥ 100 mg/L	
Product/substance Species: Duration: Test: Result:	White mineral oil (petroleum) Daphnia 48 hours NOEC ≥100 mg/L	
Product/substance Species: Duration: Test: Result:	White mineral oil (petroleum) Fish 96 hours NOEC ≥100 mg/L	
12.2. Persistence and Product/substance		
FI OUUCU/SUDSLAIICE	White mineral oil (petroleum)	

Product/substance White mineral oil (petroleum) Biodegradable: Yes



Resu	method: lt:	OECD 301 B >60% in 28 days				
	ioaccumi lata avail	ulative potential able.				
	lobility in lata avail					
	mixture	PBT and vPvB assessment /product does not contain ar	ny substances considered to meet the	e criteria classifyiı	ng them	as PBT and/c
12.6. Er		disrupting properties				
12.7. O		erse effects				
SECTIO	ON 13: D	sposal considerations				
Prod Com EWC co Not a Contar	duct is no mission ode applicab ninated p	le. Jacking	14 of 18 December 2014 on waste.			
Pack	aging co	ntaining residues of the pro	oduct must be disposed of similarly to	o the product.		
SECTIO	ON 14: Tr	ansport information				
	14.1 UN / I	14.2 D UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
	-	-	-	-	-	-
ADR			-	-	-	-
	-	-				
MDG	-	-	-	-	-	-
MDG ATA Packing * Enviro Additio Not 14.6. Sp Not 14.7. M	onmental nal infor dangero pecial pre applicab	us goods according to ADR, ecautions for user le. ransport in bulk according t		-	_	-
Additio Not 14.6. Sp Not 14.7. M No d	onmental nal infor dangero pecial pre applicab laritime t lata avail	mation us goods according to ADR, ecautions for user le. ransport in bulk according t		-	-	-

Not applicable.

Additional information

Not applicable.

Sources

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the



Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H304, May be fatal if swallowed and enters airways.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP). The safety data sheet is validated by Quality Management department Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue

triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: IE-en