according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ANDEROL 495

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Lubricant

Recommended restrictions

on use

: None known.

1.3 Details of the supplier of the safety data sheet

Company: Supplier

LANXESS Deutschland GmbH

Production, Technology, Safety & Environment

Leverkusen Germany 51369

Manufacturer

Anderol Specialty Lubricants Groot Egtenrayseweg 23

5928 PA Venlo Netherlands

Telephone: +31-77 396 0340

Prepared by Production, Technology, Safety & Environment

+4922188852288

Further information for the safety data sheet: in-

fosds@lanxess.com

1.4 Emergency telephone number

+44 20 3885 0382 (CCN1001748)

Poison Information Centre telephone number +45 8212 1212

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting ef-

fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Additional Labelling

EUH208 Contains N-1-naphthylaniline. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
N-1-naphthylaniline	90-30-2	Acute Tox. 4; H302	>= 0.25 - < 1
	201-983-0	Skin Sens. 1B; H317	
	01-2119488704-27-	STOT RE 2; H373	
	xxxx	(Blood, Kidney)	
		Aquatic Acute 1;	

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

		H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1 270-128-1 01-2119491299-23- 0002	Repr. 2; H361f	>= 0.1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

according to Regulation (EC) No. 1907/2006

ANDEROL 495

Revision Date: Date of last issue: 05.10.2020 Version SDS Number: 000000009433 Date of first issue: 27.10.2011 1.10 22.08.2022

cumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Burning produces noxious and toxic fumes.

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

: Wear suitable protective equipment. Personal precautions

6.2 Environmental precautions

Environmental precautions If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures Handle in accordance with good industrial hygiene and safety

practice. Wash hands before breaks and at the end of work-

day.

: No data available Dust explosion class

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated

place. Store at room temperature.

Storage period : 5 y

Further information on stor-

age stability

: Keep in a dry place.

7.3 Specific end use(s)

Specific use(s) : Raw material for industry

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
N-1-naphthylaniline	Workers	Inhalation	Long-term systemic effects	0.18 mg/m3
	Workers	Inhalation	Acute systemic effects	44 mg/m3
	Workers	Dermal	Long-term systemic effects	0.05 mg/kg
	Workers	Dermal	Acute systemic effects	6.67 mg/kg
	General expo- sures	Inhalation	Long-term systemic effects	0.044 mg/m3
	General expo- sures	Inhalation	Acute systemic effects	33 mg/m3
	General exposures	Dermal	Long-term systemic effects	0.03 mg/kg
	General expo- sures	Dermal	Long-term systemic effects	3.33 mg/kg
	General expo- sures	Ingestion	Long-term systemic effects	0.03 mg/kg
	General expo- sures	Ingestion	Acute systemic effects	8 mg/kg
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	Workers	Dermal	Long-term systemic effects	0.62 mg/kg
	Workers	Inhalation	Long-term systemic effects, Systemic effects	4.37 mg/m3
	General expo- sures	Skin contact	Chronic effects, Systemic effects	0.31 mg/kg
	General exposures	Inhalation	Chronic effects, Systemic effects	1.09 mg/m3

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

General exposures | Ingestion | Chronic effects, Systemic effects | 0.31 mg/kg |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
N-1-naphthylaniline	Fresh water	0.0002 mg/l
	Marine water	0.00002 mg/l
	Fresh water sediment	0.0344 mg/kg
	Marine sediment	0.00344 mg/kg
	Soil	0.0068 mg/kg
	STP	100 mg/l
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Fresh water	0.051 mg/l
	Marine water	0.0051 mg/l
	Fresh water sediment	9320 mg/kg
	Marine sediment	932 mg/kg
	Soil	1860 mg/kg
	STP	1 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves The selected

protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Respirator with a vapour filter (EN 141)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : oily

Colour : light yellow

Odour : ester-like

Odour Threshold : Not relevant

Pour point : -49 °C

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

Boiling point/boiling range : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : 242 °C

Method: ASTM D 92

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Self-Accelerating decomposi-

tion temperature (SADT)

GLP: No information available.

pH : Not applicable

Viscosity

Viscosity, dynamic : 4.5 - 30.0 mPa.s (40 - 100 °C)

Method: ASTM D 445

Viscosity, kinematic : 28.5 mm2/s (40 °C)

Method: ASTM D 445

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : 0.919 (15 °C)

Density : 0.924 g/cm3 (15 °C)

Method: ASTM D 1298

Relative vapour density : No data available

9.2 Other information

Flammability (liquids) : No data available

Metal corrosion rate : Not corrosive to metals

Dust explosion class : No data available

Evaporation rate : No data available

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

Oxidizing potential : No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if used as directed.

10.2 Chemical stability

No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : Contamination

10.5 Incompatible materials

Materials to avoid : Contamination

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No decomposition if stored normally.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: Not classified due to lack of data.

Acute inhalation toxicity : Remarks: Not classified due to lack of data.

Acute dermal toxicity : Remarks: Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Acute oral toxicity : LD50 (Rat): 1,625 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit, male): > 5,000 mg/kg

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Product:

Remarks : According to the classification criteria of the European Union,

the product is not considered as being a skin irritant.

Components:

N-1-naphthylaniline:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : no

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Method : OECD-Guideline No. 404

Result : Mild skin irritation

Serious eye damage/eye irritation

Product:

Remarks : According to the classification criteria of the European Union,

the product is not considered as being an eye irritant.

Components:

N-1-naphthylaniline:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : no

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Components:

N-1-naphthylaniline:

Test Type : Maximisation Test Exposure routes : Skin contact

according to Regulation (EC) No. 1907/2006

ANDEROL 495

Revision Date: Date of last issue: 05.10.2020 Version SDS Number: 000000009433 Date of first issue: 27.10.2011 1.10 22.08.2022

Species Guinea pig

OECD Test Guideline 406 Method

Result Probability or evidence of low to moderate skin sensitisation

rate in humans

GLP : no

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Guinea pig

Did not cause sensitisation on laboratory animals. Assessment

Method : OECD Test Guideline 406

Germ cell mutagenicity

Product:

Germ cell mutagenicity- As-

sessment

: Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Genotoxicity in vitro Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: No information available.

Test Type: Chinese Hamster Ovary (CHO) Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: No information available.

: Test Type: dominant lethal test Genotoxicity in vivo

Species: Mouse (male)

Application Route: Intraperitoneal Method: OECD Test Guideline 478

Result: negative

GLP: No information available.

Germ cell mutagenicity- As-

sessment

Animal testing did not show any mutagenic effects., Tests on

bacterial or mammalian cell cultures did not show mutagenic

effects.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Germ cell mutagenicity- As- : Not mutagenic in Ames Test

sessment

according to Regulation (EC) No. 1907/2006

ANDEROL 495

Date of last issue: 05.10.2020 Version Revision Date: SDS Number: 1.10 22.08.2022 000000009433 Date of first issue: 27.10.2011

Carcinogenicity

Product:

ment

Carcinogenicity - Assess- : Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Product:

Reproductive toxicity - As- : Not classified due to lack of data.

sessment

Components:

N-1-naphthylaniline:

Effects on foetal develop-

ment

Test Type: Pre-natal Species: Rat, female Application Route: Oral

Dose: 15 - 50 - 150 milligram per kilogram

General Toxicity Maternal: NOAEL: 50 mg/kg bw/day Developmental Toxicity: NOAEL: 150 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Effects on fertility Test Type: Fertility/early embryonic development

Species: Rat, male and female

Application Route: Oral

Dose: 25-75-225 milligram per kilogram

General Toxicity - Parent: NOAEL: 25 mg/kg bw/day

Fertility: NOEL: 225 mg/kg bw/day Method: OECD Test Guideline 422

Result: Animal testing did not show any effects on fertility.

GLP: yes

Test Type: Fertility/early embryonic development

Species: Rat, male and female

Strain: wistar

Application Route: Ingestion

Dose: 0-200-600-1800 parts per million Method: OECD Test Guideline 443

Result: Some evidence of adverse effects on development,

based on animal experiments. GLP: No information available.

Effects on foetal develop-: Test Type: Embryo-foetal development

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

ment Species: Rabbit, female

Application Route: Oral

Dose: 10-30-100 milligram per kilogram

General Toxicity Maternal: NOAEL: 30 mg/kg bw/day

Teratogenicity: NOAEL: 100 mg/kg bw/day Developmental Toxicity: NOEL: 30 mg/kg bw/day

Method: OECD Test Guideline 414

Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

GLP: yes

Test Type: Embryo-foetal development

Species: Rat, female Application Route: Oral

Dose: 50-150-500 milligram per kilogram

General Toxicity Maternal: NOAEL: 150 mg/kg bw/day

Teratogenicity: NOAEL: 500 mg/kg bw/day

Developmental Toxicity: NOAEL: 500 mg/kg body weight

Method: OECD Test Guideline 414

Result: negative GLP: yes

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

STOT - single exposure

Product:

Assessment : Not classified due to lack of data.

STOT - repeated exposure

Product:

Assessment : Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Exposure routes : Oral

Target Organs : Blood, Kidney

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

N-1-naphthylaniline:

Species : Rat, male and female

LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 90 h

according to Regulation (EC) No. 1907/2006

ANDEROL 495

Date of last issue: 05.10.2020 Version Revision Date: SDS Number: 000000009433 Date of first issue: 27.10.2011 1.10 22.08.2022

Number of exposures

Dose 5 - 25 - 50 mg/kg bw/day Method : OECD Test Guideline 408

GLP

Remarks Subchronic toxicity

Aspiration toxicity

Product:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

: Remarks: No data available Toxicity to fish

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates

Components:

N-1-naphthylaniline:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.44 mg/l

> Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.68 mg/l

Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes

M-Factor (Acute aquatic tox- : 1

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

icity)

Toxicity to microorganisms : EC50 (Protozoa): 2 mg/l

Exposure time: 48 h

EC50 (Bacteria): > 10,000 mg/l

Exposure time: 3 h

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.02 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Analytical monitoring: yes

M-Factor (Chronic aquatic

toxicity)

1

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: no

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

EbC50 (Desmodesmus subspicatus (green algae)): > 100

mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: no

Remarks: Fresh water

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EL10: 1.69 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Analytical monitoring: no

Method: OECD Test Guideline 211

GLP: yes

Remarks: Fresh water

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

Ecotoxicology Assessment

Chronic aquatic toxicity : No toxicity at the limit of solubility, This product has no known

ecotoxicological effects.

12.2 Persistence and degradability

Product:

Biodegradability : Result: No data available

Components:

N-1-naphthylaniline:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Concentration: 100 mg/l

Result: According to the results of tests of biodegradability this

product is not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301

GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : Result: According to the results of tests of biodegradability this

product is not readily biodegradable.

Method: CO2 Evolution Test

12.3 Bioaccumulative potential

Components:

N-1-naphthylaniline:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 56 d Temperature: 25 °C Concentration: 0.1 mg/l

Bioconcentration factor (BCF): 427 - 2,730

Partition coefficient: n-

octanol/water

: log Pow: 4.28

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Partition coefficient: n-

octanol/water

: $\log Pow: > 7$

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006

ANDEROL 495

Date of last issue: 05.10.2020 Version Revision Date: SDS Number: 1.10 22.08.2022 000000009433 Date of first issue: 27.10.2011

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks Not classified as dangerous in the meaning of transport regu-

lations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

Seveso III: Directive 2012/18/EU of the Euro-

pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

The components of this product are reported in the following inventories:

DSL This product contains the following components listed on the

Canadian NDSL. All other components are on the Canadian

DSL.

AICS On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

NZIoC : Not in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

US.TSCA : All substances listed as active on the TSCA inventory

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction.
H361f : Suspected of damaging fertility.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Repr. : Reproductive toxicity Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-

according to Regulation (EC) No. 1907/2006

ANDEROL 495

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.10.2020

 1.10
 22.08.2022
 000000009433
 Date of first issue: 27.10.2011

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Aguatic Chronic 3 H412 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DK / EN