

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ANDEROL 7220 FG
Product code : 000000000062597745

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricant
Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company : Anderol B.V.
Groot Egtenrayseweg 23
5928 PA Venlo
Netherlands
+31 77 396 0340
Responsible Department : +49 221 8885 2288
infosds@lanxess.com

1.4 Emergency telephone number

Emergency telephone number : For 24/7 multilingual emergency please call CHEMTREC EMEA: +44 20 3885 0382 and mention CCN1402.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

EUH208 Contains N-1-naphthylaniline. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N-1-naphthylaniline	90-30-2 201-983-0 01-2119488704-27	Acute Tox. 4; H302 Skin Sens. 1B; H317 STOT RE 2; H373 (Blood, Kidney) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Acute toxicity esti-	>= 0,25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

		mate	
(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	110-25-8 203-749-3	Acute oral toxicity: 1.625 mg/kg Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 <hr/> M-Factor (Acute aquatic toxicity): 1 <hr/> Acute toxicity estimate <hr/> Acute inhalation toxicity (dust/mist): 1,01 mg/l	>= 0,25 - < 1
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119555270-46	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,25 - < 1

For explanation of abbreviations see section 16.

Disclaimer: EC numbers starting with 6, 7, 8, or 9 in this document are ECHA List Numbers used for internal reference and do not carry legal significance as typical EC Numbers in Safety Data Sheets.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

- fumes from overheating or combustion.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Get medical attention if symptoms appear.
- Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.
Treat symptomatically.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry powder
Sand
Water mist

- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Burning produces noxious and toxic fumes.

- Hazardous combustion prod- : No hazardous combustion products are known
-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

ucts

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510) : 10, Combustible liquids

Further information on storage stability : Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) : Raw material for industry

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
N-1-naphthylaniline	90-30-2	AGW (Inhalable fraction)	2 mg/m ³	DE TRGS 900
		Peak-limit: excursion factor (category): 2; II		
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child, Substance sensitizing through the skin		
		MAK (inhalable fraction)	2 mg/m ³	DE DFG MAK
		Further information: Danger of sensitization of the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed		
(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine	110-25-8	AGW (Inhalable fraction)	0,05 mg/m ³	DE TRGS 900
		Peak-limit: excursion factor (category): 2; II		
		MAK (inhalable fraction)	0,05 mg/m ³	DE DFG MAK
		Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C		
2,6-di-tert-butyl-p-cresol	128-37-0	AGW (Vapour and aerosols, inhalable fraction)	10 mg/m ³	DE TRGS 900
		Peak-limit: excursion factor (category): 4; II		
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child		

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

	MAK (inhalable fraction)	10 mg/m ³	DE DFG MAK
Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value	
N-1-naphthylaniline	Workers	Inhalation	Long-term exposure, Systemic effects	0,08 mg/m ³	
	Workers	Inhalation	Short-term exposure, Systemic effects	44 mg/m ³	
	Workers	Dermal	Long-term exposure, Systemic effects	0,02 mg/kg bw/day	
	Workers	Dermal	Short-term exposure, Systemic effects	6,67 mg/kg bw/day	
	Consumers	Inhalation	Long-term exposure, Systemic effects	0,015 mg/m ³	
	Consumers	Inhalation	Short-term exposure, Systemic effects	33 mg/m ³	
	Consumers	Dermal	Long-term exposure, Systemic effects	0,008 mg/kg bw/day	
	Consumers	Dermal	Short-term exposure, Systemic effects	3,33 mg/kg bw/day	
	Consumers	Oral	Long-term exposure, Systemic effects	0,008 mg/kg bw/day	
	Consumers	Oral	Short-term exposure, Systemic effects	2 mg/kg bw/day	
	2,6-di-tert-butyl-p-cresol	Workers	Inhalation	Long-term exposure, Systemic effects	4,4 mg/m ³
		Workers	Inhalation	short-term, Systemic effects	18 mg/m ³
Workers		Dermal	Long-term exposure, Systemic effects	4,7 mg/kg bw/day	
Workers		Dermal	short-term, Systemic effects	19 mg/kg bw/day	
Consumers		Inhalation	Long-term exposure, Systemic effects	0,78 mg/m ³	
Consumers		Inhalation	short-term, Systemic effects	3,1 mg/m ³	
Consumers		Dermal	Long-term exposure, Systemic effects	1,7 mg/kg bw/day	
Consumers		Dermal	short-term, Systemic effects	6,7 mg/kg bw/day	
Consumers		Oral	Long-term exposure, Systemic effects	0,25 mg/kg bw/day	
Consumers		Oral	short-term, Systemic	1 mg/kg	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

			effects	bw/day
--	--	--	---------	--------

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
N-1-naphthylaniline	Fresh water	0,0002 mg/l
	Marine water	0,00002 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	0,0344 mg/kg dry weight (d.w.)
	Marine sediment	0,00344 mg/kg dry weight (d.w.)
	Soil	0,0068 mg/kg dry weight (d.w.)
2,6-di-tert-butyl-p-cresol	Secondary Poisoning	7,173 mg/kg food
	Fresh water	2,3 µg/l
	Freshwater - intermittent	4 µg/l
	Marine water	0,23 µg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	3,4 mg/kg dry weight (d.w.)
	Marine sediment	0,34 mg/kg dry weight (d.w.)
	Soil	0,24 mg/kg dry weight (d.w.)
	Secondary Poisoning	16,7 mg/kg food

8.2 Exposure controls

Engineering measures

Effective exhaust ventilation system
Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Safety glasses with side-shields conforming to EN166

Hand protection
Material : Polyvinyl alcohol or nitrile- butyl-rubber gloves

Remarks : Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Before removing gloves clean them with soap and water. Request information on glove permeation properties from the glove supplier.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

derived from it.

Skin and body protection : Wear suitable protective clothing.
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
In the case of vapour formation use a respirator with an approved filter.
In the case of dust or aerosol formation use respirator with an approved filter.

Respirator with combination filter for vapour/particulate (EN 141)

Filter type : Filter type AB-P

Protective measures : Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
These recommendations apply to the product as supplied.

Environmental exposure controls

Water : The product should not be allowed to enter drains, water courses or the soil.
Retain and dispose of contaminated wash water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Physical state : liquid

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

Melting point/ range : No data available

Boiling point/boiling range : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

flammability limit

Flash point : 274 °C

Ignition temperature : No data available

Decomposition temperature : No data available

Self-Accelerating decomposition temperature (SADT) : No data available

pH : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 216,0 mm²/s (40 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Relative density : No data available

Density : 1,0 g/cm³

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : No data available

Oxidizing properties : No data available

Flammability (liquids) : No data available

Self-ignition : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Self-heating substances : No data available
Evaporation rate : No data available
Miscibility with water : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture
 : Contamination

10.5 Incompatible materials

Materials to avoid : Acids
 : Bases
 : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.
Hazardous decomposition products : Carbon oxides
 : Nitrogen oxides (NO_x)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Acute oral toxicity : LD50 (Rat, male): 1.625 mg/kg

Acute dermal toxicity : LD50 (Rabbit, male): > 5.000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 420

Acute inhalation toxicity : LC50 (Rat, male and female): 1,01 - 1,85 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

2,6-di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat, male and female): > 2.930 mg/kg
Method: OECD Test Guideline 401
GLP: Yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality

Skin corrosion/irritation

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : No

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Irritating to skin.

2,6-di-tert-butyl-p-cresol:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Serious eye damage/eye irritation

Not classified due to lack of data.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Components:

N-1-naphthylaniline:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation
GLP : No

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

2,6-di-tert-butyl-p-cresol:

Species : Rabbit
Method : Draize Test
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : The product is a skin sensitiser, sub-category 1B.
GLP : No

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Exposure routes : Dermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

2,6-di-tert-butyl-p-cresol:

Test Type : Patch Test
Exposure routes : Skin contact
Species : Human
Result : Does not cause skin sensitisation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Test Type : No data available
Exposure routes : Skin contact
Species : Guinea pig
Method : No information available.
Result : Did not cause sensitisation on laboratory animals.
GLP : No

Germ cell mutagenicity

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: No information available.

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: No information available.

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)
Application Route: Intraperitoneal
Method: OECD Test Guideline 478
Result: negative
GLP: No information available.

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Genotoxicity in vitro : Test system: Mammalian-Animal
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test system: Bacteria

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test system: Mammalian-Animal
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: No information available.
Result: negative
GLP: No information available.

Test Type: HPRT test
Test system: rat hepatocytes
Metabolic activation: with metabolic activation
Method: No information available.
Result: negative
GLP: No information available.

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Method: No information available.
Result: negative
GLP: No information available.

Test Type: Cytogenetic assay
Species: Rat (male)
Cell type: Bone marrow
Application Route: Oral
Method: No information available.
Result: negative
GLP: No information available.

Carcinogenicity

Not classified due to lack of data.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Components:

2,6-di-tert-butyl-p-cresol:

Species : Rat, male and female
Application Route : Oral
Exposure time : 22 month(s)
Dose : 0 - 25 - 100 - 250/500 mg/kg body weight
NOAEL : 25 mg/kg bw/day
Method : No information available.
Result : equivocal
GLP : Yes

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

Reproductive toxicity

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 15 - 50 - 150 milligram per kilogram
General Toxicity Maternal: NOAEL: 50 mg/kg bw/day
Developmental Toxicity: NOAEL: 150 mg/kg bw/day
Method: OECD Test Guideline 414
GLP: Yes

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Effects on fertility : Remarks: Animal testing did not show any effects on fertility.

2,6-di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 0 - 25 - 100 - 250/500
Fertility: NOAEL: 500 mg/kg body weight
Result: Animal testing did not show any effects on fertility.
GLP: Yes

Effects on foetal development : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 0 - 25 - 100 - 250/500 milligram per kilogram
General Toxicity Maternal: NOAEL: 100 mg/kg body weight
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Method: No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses
GLP: Yes

Test Type: Pre-natal
Species: Mouse, female
Application Route: Oral
Dose: 70 - 240 - 800 milligram per kilogram
General Toxicity Maternal: NOAEL: 240 mg/kg body weight
Developmental Toxicity: NOAEL: 800 mg/kg body weight
Method: No information available.
Result: Did not show teratogenic effects in animal experiments.
GLP: No information available.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Components:

N-1-naphthylaniline:

Exposure routes : Oral
Target Organs : Blood, Kidney
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

N-1-naphthylaniline:

Species : Rat, male and female
LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 90 d
Number of exposures : daily
Dose : 5 - 25 - 125 mg/kg bw/day
Method : OECD Test Guideline 408
GLP : Yes
Target Organs : Blood, Kidney
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Remarks : Subchronic toxicity

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Remarks : No known significant effects or critical hazards.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

2,6-di-tert-butyl-p-cresol:

Species : Rat, male and female
NOAEL : 25 mg/kg
LOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 22 Months
Number of exposures : daily
Dose : 0 - 25 - 100 - 250/500 mg/kg bw/day
Method : No information available.
GLP : Yes
Symptoms : alteration in liver enzymes
Remarks : Chronic toxicity

Species : Pig, male and female
 : 1500 ppm
Application Route : Oral
Exposure time : 42 Tage
Number of exposures : daily
Dose : 0 - 150 - 1000 - 1500 parts per million
Method : No information available.
GLP : Yes
Remarks : Subacute toxicity

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : The product itself has not been tested.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

SECTION 12: Ecological information

12.1 Toxicity

Components:

N-1-naphthylaniline:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,44 mg/l
Exposure time: 96 h
Analytical monitoring: No
Remarks: nominal concentration
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,3 mg/l
End point: Immobilization
Exposure time: 48 h
Analytical monitoring: No
Remarks: nominal concentration
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,93 mg/l
End point: Growth rate
Exposure time: 96 h
Analytical monitoring: No
Remarks: nominal concentration
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): > 10.000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,032 mg/l
End point: reproduction rate
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Analytical monitoring: No
Method: OECD Test Guideline 211
GLP: Yes
Remarks: nominal concentration
- M-Factor (Chronic aquatic toxicity) : 1

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6,8 mg/l
Exposure time: 96 h
Test Type: static test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

-
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,43 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 6,3 mg/l
Exposure time: 72 h
Method: Regulation (EC) No. 440/2008, Annex, C.3

NOEC (Desmodesmus subspicatus (green algae)): 0,91 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (Bacteria): 1.300 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
GLP: Yes
- 2,6-di-tert-butyl-p-cresol:**
- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,57 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: Regulation (EC) No. 440/2008, Annex, C.1
GLP: Yes
Remarks: Fresh water
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,48 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: Yes
Method: OECD Test Guideline 202
GLP: Yes
Remarks: Fresh water
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 0,4 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: Yes
Method: Regulation (EC) No. 440/2008, Annex, C.3
GLP: Yes
Remarks: Fresh water

EC10 (Desmodesmus subspicatus (green algae)): 0,4 mg/l
End point: Growth rate
Exposure time: 72 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Test Type: static test
Analytical monitoring: Yes
Method: Regulation (EC) No. 440/2008, Annex, C.3
GLP: Yes
Remarks: Fresh water

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 10.000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Test Type: static test
Analytical monitoring: No
Method: OECD Test Guideline 209
GLP: Yes
Remarks: Fresh water
nominal concentration

Toxicity to fish (Chronic toxicity) : NOEC: 0,053 mg/l
Exposure time: 42 d
Species: *Oryzias latipes* (Orange-red killifish)
Test Type: flow-through test
Analytical monitoring: Yes
Method: OECD Test Guideline 210
GLP: Yes
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,023 mg/l
End point: Reproduction
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Test Type: semi-static test
Analytical monitoring: Yes
Method: OECD Test Guideline 202
GLP: Yes
Remarks: Fresh water

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : Test Type: Reproduction Test
NOEC: 25 mg/kg
Exposure time: 28 d
End point: Reproduction
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 222
GLP: Yes

Plant toxicity : NOEC: 4,74 mg/kg
Exposure time: 17 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

End point: Growth inhibition
Species: Allium cepa
Method: OECD Test Guideline 208
GLP: Yes

EC50: 20,9 mg/kg
Exposure time: 17 d
End point: Growth inhibition
Species: Allium cepa
Method: OECD Test Guideline 208
GLP: Yes

12.2 Persistence and degradability

Components:

N-1-naphthylaniline:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 14 d
Method: OECD Test Guideline 301C

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: 85,2 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

2,6-di-tert-butyl-p-cresol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 4,5 %
Exposure time: 28 d
Method: OECD Test Guideline 301C
GLP: No information available.

Stability in water : Degradation half life (DT50): 4 - 8 d
Hydrolysis: at 20 °C

Photodegradation : Sensitiser: OH
Degradation (indirect photolysis):
Degradation half life: 21,054 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

12.3 Bioaccumulative potential

Components:

N-1-naphthylaniline:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Exposure time: 56 d
Bioconcentration factor (BCF): ≥ 427
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: 4,28

(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine:

Partition coefficient: n-octanol/water : log Pow: 3,5 - 4,2
Method: Regulation (EC) No. 440/2008, Annex, A.8

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Bioconcentration factor (BCF): > 2.000

Species: Cyprinus carpio (Carp)
Exposure time: 56 d
Temperature: 25 °C
Concentration: 0,05 mg/l
Bioconcentration factor (BCF): 781
Method: OECD Test Guideline 305
GLP: No information available.

Species: Cyprinus carpio (Carp)
Exposure time: 56 d
Temperature: 25 °C
Concentration: 0,005 mg/l
Bioconcentration factor (BCF): 839
Method: OECD Test Guideline 305
GLP: No information available.

Partition coefficient: n-octanol/water : log Pow: 5,1
Method: measured

12.4 Mobility in soil

Components:

2,6-di-tert-butyl-p-cresol:

Mobility : Medium: Soil
Content: 82,9 %
Method: Calculation, Mackay Level III Fugacity Model

: Medium: Water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Content: 8,53 %
Method: Calculation, Mackay Level III Fugacity Model

: Medium: Sediment
Content: 7,23 %
Method: Calculation, Mackay Level III Fugacity Model

: Medium: Air
Content: 1,33 %
Method: Calculation, Mackay Level III Fugacity Model

Distribution among environmental compartments : log K_{oc}: 4,17
Method: estimated

Stability in soil : Test Type: aerobic degradation
Soil temperature: 12 °C
Radio label: Yes
pH: 5,7
Cation exchange capacity: 16 m_/kg
Biomass: 214 mg/kg
Concentration: 0,5 mg/kg
Method: OECD Test Guideline 307
GLP: Yes

Test Type: aerobic degradation
Soil temperature: 12 °C
Radio label: Yes
pH: 6,6
Cation exchange capacity: 47 m_/kg
Biomass: 265,7 mg/kg
Concentration: 0,5 mg/kg
Method: OECD Test Guideline 307
GLP: Yes

Test Type: aerobic degradation
Soil temperature: 12 °C
Radio label: Yes
pH: 7,4
Cation exchange capacity: 265 m_/kg
Biomass: 531,8 mg/kg
Concentration: 0,5 mg/kg
Method: OECD Test Guideline 307
GLP: Yes

Test Type: aerobic degradation
Soil temperature: 12 °C
Radio label: Yes
pH: 7,2
Cation exchange capacity: 257 m_/kg
Biomass: 938,7 mg/kg
Concentration: 0,5 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Method: OECD Test Guideline 307
GLP: Yes

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

2,6-di-tert-butyl-p-cresol:

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).. Substance is not very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Harmful to aquatic life with long lasting effects.
The product itself has not been tested.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility. In accordance with local and national regulations. Offer surplus and non-recyclable solutions to a licensed disposal company. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments

ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Hazard and Handling Notes. : Not dangerous cargo.
Keep separated from foodstuffs.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 75, 3

Do not use for tattooing purposes.

2-naphthylamine (Number on list 75, 43, 28, 12)

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EC) on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors. : Neither banned nor restricted

Council Regulation (EC) No 273/2004 on drug precursors : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

Water hazard class (Germany) : WGK 3 highly hazardous to water
Classification according to AwSV, Annex 1 (5)

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H332 : Harmful if inhaled.
H373 : May cause damage to organs through prolonged or repeated exposure if swallowed.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure
DE DFG MAK : Germany. MAK BAT Annex IIa
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK : MAK value
DE TRGS 900 / AGW : Time Weighted Average

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



ANDEROL 7220 FG

Version 1.0 Revision Date: 24.09.2024 SDS Number: 203000020224 Date of last issue: -
Country / Language: DE / 6N (EN)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Chronic 3 H412

Classification procedure:

Calculation method

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 and all subsequent amendments



ANDEROL 7220 FG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.09.2024	203000020224	Country / Language: DE / 6N (EN)
