

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2020
1.6	14.11.2022	000000009441	Date of first issue: 01.12.2011

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ANDEROL CHAIN OIL XL 220

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Lubricant

Recommended restrictions : Restricted to professional users.
on use

1.3 Details of the supplier of the safety data sheet

Company:

Manufacturer
Anderol Specialty Lubricants
Groot Egtenrayseweg 23
5928 PA Venlo
Netherlands

Telephone : +31-77 396 0340

Supplier
LANXESS Deutschland GmbH
Production, Technology, Safety & Environment
Leverkusen
Germany
51369

Prepared by : Production, Technology, Safety & Environment
+4922188852288

Further information for the safety data sheet : in-
fosds@lanxess.com

1.4 Emergency telephone number

+44 20 3885 0382 (CCN1001748)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version 1.6 Revision Date: 14.11.2022 SDS Number: 000000009441 Date of last issue: 05.10.2020
Date of first issue: 01.12.2011

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

EUH208 Contains N-1-naphthylaniline, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-.

May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N-1-naphthylaniline	90-30-2 201-983-0 01-2119488704-27-xxxx	Acute Tox. 4; H302 Skin Sens. 1B; H317 STOT RE 2; H373 (Blood, Kidney) Aquatic Acute 1; H400	>= 0,25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version 1.6 Revision Date: 14.11.2022 SDS Number: 000000009441 Date of last issue: 05.10.2020
Date of first issue: 01.12.2011

		Aquatic Chronic 1; H410	
1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-	94270-86-7	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : May cause sensitisation by skin contact.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.
For specialist advice physicians should contact the Poisons Information Service.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ANDEROL CHAIN OIL XL 220

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2020
1.6	14.11.2022	000000009441	Date of first issue: 01.12.2011

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Carbon dioxide (CO₂)
Dry chemical
Foam
Water spray

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Burning produces noxious and toxic fumes.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version 1.6 Revision Date: 14.11.2022 SDS Number: 000000009441 Date of last issue: 05.10.2020
Date of first issue: 01.12.2011

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.
- Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

- Specific use(s) : Raw material for industry

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
N-1-naphthylaniline	Workers	Inhalation	Long-term systemic effects	0,18 mg/m ³
	Workers	Inhalation	Acute systemic effects	44 mg/m ³
	Workers	Dermal	Long-term systemic effects	0,05 mg/kg
	Workers	Dermal	Acute systemic effects	6,67 mg/kg
	General exposures	Inhalation	Long-term systemic effects	0,044 mg/m ³
	General exposures	Inhalation	Acute systemic effects	33 mg/m ³
	General exposures	Dermal	Long-term systemic effects	0,03 mg/kg
	General expo-	Dermal	Long-term systemic	3,33 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version 1.6 Revision Date: 14.11.2022 SDS Number: 000000009441 Date of last issue: 05.10.2020
Date of first issue: 01.12.2011

	sure		effects	
	General exposures	Ingestion	Long-term systemic effects	0,03 mg/kg
	General exposures	Ingestion	Acute systemic effects	8 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
N-1-naphthylaniline	Fresh water	0,0002 mg/l
	Marine water	0,00002 mg/l
	Fresh water sediment	0,0344 mg/kg
	Marine sediment	0,00344 mg/kg
	Soil	0,0068 mg/kg
	STP	100 mg/l

8.2 Exposure controls

Engineering measures

Ensure that eyewash stations and safety showers are close to the workstation location.
Effective exhaust ventilation system

Personal protective equipment

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves Before removing gloves clean them with soap and water. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Request information on glove permeation properties from the glove supplier.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : not required under normal use
In the case of vapour formation use a respirator with an approved filter.
In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : brown
Odour : No data available
Odour Threshold : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ANDEROL CHAIN OIL XL 220

Version 1.6 Revision Date: 14.11.2022 SDS Number: 000000009441 Date of last issue: 05.10.2020
Date of first issue: 01.12.2011

Pour point	:	-27 °C
	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	300 °C Method: ASTM D 92
pH	:	No data available
Viscosity		
Viscosity, dynamic	:	19,0 - 242,0 mPa.s (40 - 100 °C) Method: ASTM D 445
Viscosity, kinematic	:	211 mm ² /s (40 °C) Method: ASTM D 445
		20,6 mm ² /s (100 °C) Method: ASTM D 445
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available

9.2 Other information

Flammability (liquids)	:	No data available
Oxidizing potential	:	No information available.
Molecular weight	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2020
1.6	14.11.2022	000000009441	Date of first issue: 01.12.2011

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture
Contamination

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products : Nitrogen oxides (NO_x)
Carbon oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure :

Inhalation
Eye contact
Skin contact
Skin Absorption

Acute toxicity

Components:

N-1-naphthylaniline:

Acute oral toxicity : LD50 (Rat): 1.625 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit, male): > 5.000 mg/kg

Skin corrosion/irritation

Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Components:

N-1-naphthylaniline:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : no

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version 1.6 Revision Date: 14.11.2022 SDS Number: 000000009441 Date of last issue: 05.10.2020
Date of first issue: 01.12.2011

1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-:

Species : Rabbit
Exposure time : 24 h
Assessment : Irritating to skin.
Method : OECD-Guideline No. 404
Result : Skin irritation
GLP : no

Serious eye damage/eye irritation

Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Components:

N-1-naphthylaniline:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation
GLP : no

Respiratory or skin sensitisation

Product:

Remarks : Causes sensitisation.

Components:

N-1-naphthylaniline:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Probability or evidence of low to moderate skin sensitisation rate in humans
GLP : no

1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Assessment : The product is a skin sensitiser, sub-category 1B.
Method : OECD Test Guideline 406
Result : The product is a skin sensitiser, sub-category 1B.
GLP : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2020
1.6	14.11.2022	000000009441	Date of first issue: 01.12.2011

Germ cell mutagenicity

Components:

N-1-naphthylaniline:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.

Test Type: Chinese Hamster Ovary (CHO)
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: No information available.

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)
Application Route: Intraperitoneal
Method: OECD Test Guideline 478
Result: negative
GLP: No information available.

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects., Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Components:

N-1-naphthylaniline:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Components:

N-1-naphthylaniline:

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 15 - 50 - 150 milligram per kilogram
General Toxicity Maternal: NOAEL: 50 mg/kg bw/day
Developmental Toxicity: NOAEL: 150 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

ANDEROL CHAIN OIL XL 220

Version 1.6 Revision Date: 14.11.2022 SDS Number: 000000009441 Date of last issue: 05.10.2020
Date of first issue: 01.12.2011

STOT - repeated exposure

Components:

N-1-naphthylaniline:

Exposure routes : Oral
Target Organs : Blood, Kidney
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

N-1-naphthylaniline:

Species : Rat, male and female
LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 90 h
Number of exposures : dail
Dose : 5 - 25 - 50 mg/kg bw/day
Method : OECD Test Guideline 408
GLP : yes
Remarks : Subchronic toxicity

Aspiration toxicity

Product:

No aspiration toxicity classification

11.2 Information on other hazards

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability : Result: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2020
1.6	14.11.2022	000000009441	Date of first issue: 01.12.2011

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version 1.6 Revision Date: 14.11.2022 SDS Number: 000000009441 Date of last issue: 05.10.2020
Date of first issue: 01.12.2011

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

Distillates (petroleum), solvent-dewaxed heavy paraffinic (Number on list 28)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2020
1.6	14.11.2022	000000009441	Date of first issue: 01.12.2011

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

The components of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
US.TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	Not in compliance with the inventory
ENCS	:	Low volume exemption, Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory

Please note that Section 3 of this document lists only the hazardous components required by the specific country or region hazard communication regulations. The chemical identifiers listed in Section 3 are used globally for hazard communication purposes and may not reflect those used for chemical inventory coverage in a particular country or region. The chemical inventory information given in Section 15 of this document applies to the product as a whole and should be used when evaluating inventory compliance.

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H373	:	May cause damage to organs through prolonged or repeated

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2020
1.6	14.11.2022	000000009441	Date of first issue: 01.12.2011

H400 : exposure if swallowed.
H410 : Very toxic to aquatic life.
H411 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture:

Aquatic Chronic 3 H412

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ANDEROL CHAIN OIL XL 220

Version	Revision Date:	SDS Number:	Date of last issue: 05.10.2020
1.6	14.11.2022	000000009441	Date of first issue: 01.12.2011

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NO / EN